



8165 E. Kaiser Blvd. Anaheim, CA 92808

www.lightlaboratory.com

Photometric Test Report

IES FLOOD REPORT

PHOTOMETRIC FILENAME : L052510714.IES

DESCRIPTIVE INFORMATION (From Photometric File)

IESNA:LM-63-2002

[TEST] L052510714

[TESTLAB] LIGHT LABORATORY, INC. (www.lightlaboratory.com)

[ISSUE DATE] 6/5/2025

[MANUFAC] Vista Professional Outdoor Lighting

[LUMCAT] 1051-WW-RGBW-(G)

[LUMINAIRE] 1051 Wall Wash Green Output

[BALLASTCAT] ELDOLED PW50U-M4Z0X1

[OTHER] INDICATING THE CANDELA VALUES ARE ABSOLUTE AND
[MORE] SHOULD NOT BE FACTORED FOR DIFFERENT LAMP RATINGS.

[MORE] Base file 80239581-38

[INPUT] 120VAC

[TEST PROCEDURE] IESNA:LM-79-19

Note: Candela values converted from Type-C to Type-B

CHARACTERISTICS

NEMA Type	7 H x 7 V
Maximum Candela	347
Maximum Candela Angle	-3H 25.5V
Horizontal Beam Angle (50%)	83.0
Vertical Beam Angle (50%)	53.2
Horizontal Field Angle (10%)	134.8
Vertical Field Angle (10%)	139.8
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	249
Beam Efficiency	N.A.
Field Lumens	573
Field Efficiency	N.A.
Spill Lumens	24
Luminaire Lumens	597
Total Efficiency	N.A.
Total Luminaire Watts	11.71
Ballast Factor	1.00

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510714.IES

AXIAL CANDELA

DEG.	HOR.	DEG.	VERT.
90	0	90	0
85	2	85	2
75	21	75	29
65	49	65	87
55	77	55	151
47.5	96	47.5	196
42.5	109	42.5	230
37.5	121	37.5	270
33	134	33	309
29	144	29	336
25.5	153	25.5	347
22.5	160	22.5	345
19.5	166	19.5	333
17	172	17	317
15	175	15	303
13	178	13	288
11	181	11	273
9	183	9	257
7	185	7	241
5	187	5	224
3	188	3	207
1	187	1	193
0	187	0	187
-1	187	-1	179
-3	188	-3	165
-5	187	-5	153
-7	185	-7	143
-9	183	-9	136
-11	181	-11	131
-13	178	-13	128
-15	175	-15	125
-17	172	-17	123
-19.5	166	-19.5	120
-22.5	160	-22.5	119
-25.5	153	-25.5	120
-29	144	-29	122
-33	134	-33	124
-37.5	121	-37.5	122
-42.5	109	-42.5	113
-47.5	96	-47.5	99
-55	77	-55	75
-65	49	-65	36
-75	21	-75	12
-85	2	-85	1
-90	0	-90	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510714.IES

CANDELA TABULATION

Maximum Candela = 347

Beam Edge = 173.5 Cd (50% of Max.)

Field Edge = 34.7 Cd (10% of Max.)

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>-90.0</u>	<u>-85.0</u>	<u>-75.0</u>	<u>-65.0</u>	<u>-55.0</u>	<u>-47.5</u>	<u>-42.5</u>	<u>-37.5</u>	<u>-33.0</u>	<u>-29.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	0	1	1	1	2	2	2	2	2
75.0	0	0	2	5	12	16	20	23	25	27
65.0	0	0	4	13	32	45 *	54 *	61 *	68 *	72 *
55.0	0	0	6	22	57 *	84 *	97 *	109 *	118 *	125 *
47.5	0	1	8	29	72 *	111 *	132 *	149 *	160 *	169 *
42.5	0	1	10	33	79 *	126 *	154 *	175 *	190 *	200 *
37.5	0	1	12	36 *	83 *	135 *	168 *	197 *	218 *	233 *
33.0	0	1	13	38 *	84 *	136 *	174 *	209 *	236 *	255 *
29.0	0	1	14	40 *	84 *	134 *	172 *	209 *	240 *	264 *
25.5	0	2	15	41 *	83 *	129 *	166 *	203 *	235 *	262 *
22.5	0	2	16	42 *	81 *	125 *	160 *	195 *	227 *	253 *
19.5	0	2	17	43 *	81 *	120 *	151 *	185 *	215 *	240 *
17.0	0	2	18	44 *	79 *	115 *	145 *	176 *	205 *	228 *
15.0	0	2	18	45 *	78 *	112 *	140 *	169 *	196 *	218 *
13.0	0	2	19	45 *	78 *	109 *	134 *	162 *	187 *	208 *
11.0	0	2	19	46 *	77 *	106 *	129 *	154 *	177 *	198 *
9.0	0	2	20	46 *	77 *	104 *	124 *	147 *	168 *	187 *
7.0	0	2	20	47 *	76 *	102 *	120 *	140 *	159 *	176 *
5.0	0	2	20	48 *	77 *	100 *	116 *	134 *	151 *	166 *
3.0	0	2	21	48 *	77 *	99 *	114 *	129 *	143 *	156 *
1.0	0	2	21	49 *	77 *	97 *	111 *	124 *	137 *	148 *
0.0	0	2	21	49 *	77 *	96 *	109 *	121 *	134 *	144 *
-1.0	0	2	21	49 *	77 *	96 *	108 *	120 *	131 *	140 *
-3.0	0	2	21	50 *	77 *	95 *	107 *	117 *	126 *	134 *
-5.0	0	2	21	50 *	77 *	95 *	105 *	115 *	123 *	129 *
-7.0	0	2	21	50 *	77 *	95 *	105 *	113 *	120 *	125 *
-9.0	0	2	21	50 *	78 *	95 *	104 *	112 *	118 *	122 *
-11.0	0	2	21	50 *	78 *	95 *	104 *	111 *	116 *	120 *
-13.0	0	2	21	50 *	78 *	95 *	103 *	111 *	115 *	119 *
-15.0	0	2	20	50 *	78 *	95 *	103 *	110 *	114 *	117 *
-17.0	0	2	20	50 *	78 *	94 *	103 *	109 *	114 *	116 *
-19.5	0	2	20	49 *	78 *	94 *	103 *	109 *	113 *	116 *
-22.5	0	2	19	49 *	78 *	94 *	103 *	109 *	113 *	115 *
-25.5	0	2	19	48 *	76 *	94 *	103 *	109 *	113 *	116 *
-29.0	0	2	18	46 *	75 *	93 *	102 *	109 *	114 *	117 *
-33.0	0	2	17	44 *	72 *	90 *	100 *	108 *	115 *	119 *
-37.5	0	1	15	41 *	68 *	86 *	95 *	103 *	110 *	115 *
-42.5	0	1	13	36 *	61 *	78 *	87 *	95 *	100 *	104 *
-47.5	0	1	11	31	54 *	68 *	76 *	82 *	86 *	90 *
-55.0	0	1	8	23	41 *	51 *	57 *	62 *	65 *	67 *
-65.0	0	1	5	13	23	29	32	35 *	37 *	37 *
-75.0	0	0	2	5	9	11	13	13	14	13
-85.0	0	0	1	1	1	2	2	2	2	2
-90.0	0	0	0	0	0	0	0	0	0	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510714.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	3	3	3	2	2	2	2	2	2	2
75.0	28	28	29	29	29	29	28	28	28	28
65.0	77 *	79 *	81 *	82 *	83 *	84 *	85 *	85 *	85 *	85 *
55.0	131 *	135 *	138 *	141 *	143 *	145 *	146 *	147 *	148 *	149 *
47.5	175 *	180 *	183 *	186 *	188 *	190 *	191 *	193 *	193 *	194 *
42.5	208 *	213 *	217 *	220 *	222 *	224 *	226 *	227 *	228 *	229 *
37.5	242 *	249 *	254 *	258 *	261 *	263 *	265 *	266 *	268 *	269 *
33.0	269 *	279 *	287 *	292 *	296 *	299 *	302 *	304 *	305 *	307 *
29.0	283 *	295 *	305 *	313 *	319 *	323 *	327 *	330 *	332 *	334 *
25.5	282 *	297 *	309 *	319 *	325 *	331 *	336 *	340 *	343 *	345 *
22.5	274 *	289 *	304 *	314 *	322 *	327 *	333 *	337 *	341 *	343 *
19.5	261 *	277 *	290 *	301 *	309 *	316 *	322 *	326 *	329 *	332 *
17.0	248 *	263 *	276 *	286 *	294 *	301 *	306 *	310 *	314 *	316 *
15.0	237 *	251 *	264 *	274 *	280 *	287 *	293 *	297 *	301 *	302 *
13.0	225 *	239 *	252 *	261 *	267 *	273 *	278 *	283 *	286 *	288 *
11.0	214 *	227 *	239 *	247 *	254 *	259 *	264 *	268 *	271 *	273 *
9.0	202 *	215 *	226 *	234 *	240 *	245 *	249 *	253 *	255 *	257 *
7.0	190 *	202 *	212 *	219 *	225 *	230 *	234 *	238 *	240 *	242 *
5.0	178 *	189 *	198 *	205 *	210 *	215 *	218 *	221 *	224 *	225 *
3.0	168 *	177 *	185 *	191 *	195 *	199 *	203 *	205 *	207 *	209 *
1.0	158 *	166 *	172 *	178 *	182 *	185 *	188 *	191 *	192 *	194 *
0.0	153 *	160 *	166 *	172 *	175 *	178 *	181 *	183 *	185 *	187 *
-1.0	149 *	155 *	161 *	166 *	169 *	172 *	175 *	177 *	179 *	180 *
-3.0	140 *	146 *	151 *	155 *	158 *	160 *	163 *	164 *	165 *	167 *
-5.0	134 *	138 *	142 *	145 *	147 *	149 *	150 *	152 *	153 *	154 *
-7.0	129 *	132 *	135 *	137 *	139 *	140 *	142 *	143 *	143 *	144 *
-9.0	126 *	128 *	130 *	132 *	133 *	134 *	135 *	136 *	137 *	136 *
-11.0	123 *	125 *	127 *	128 *	129 *	130 *	130 *	131 *	132 *	132 *
-13.0	121 *	123 *	124 *	125 *	126 *	126 *	127 *	128 *	128 *	128 *
-15.0	120 *	121 *	122 *	123 *	123 *	124 *	124 *	124 *	125 *	125 *
-17.0	118 *	120 *	121 *	121 *	122 *	122 *	123 *	122 *	123 *	123 *
-19.5	117 *	118 *	119 *	120 *	120 *	120 *	120 *	120 *	121 *	121 *
-22.5	117 *	118 *	118 *	119 *	119 *	119 *	119 *	119 *	119 *	119 *
-25.5	117 *	118 *	119 *	119 *	119 *	119 *	119 *	120 *	120 *	119 *
-29.0	119 *	120 *	121 *	121 *	121 *	121 *	121 *	121 *	121 *	121 *
-33.0	121 *	122 *	123 *	124 *	124 *	124 *	124 *	124 *	123 *	123 *
-37.5	117 *	119 *	120 *	121 *	122 *	122 *	122 *	122 *	122 *	122 *
-42.5	106 *	108 *	109 *	110 *	111 *	111 *	112 *	112 *	113 *	113 *
-47.5	92 *	93 *	95 *	96 *	97 *	97 *	98 *	99 *	99 *	99 *
-55.0	69 *	70 *	71 *	73 *	73 *	74 *	74 *	75 *	75 *	75 *
-65.0	38 *	38 *	38 *	38 *	38 *	37 *	38 *	38 *	37 *	37 *
-75.0	13	13	13	12	12	12	13	13	12	12
-85.0	2	2	2	2	2	2	2	2	2	2
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	2	2	2	2	2	2	2	2	2	2
75.0	28	29	29	29	28	28	28	28	28	29
65.0	86 *	87 *	87 *	87 *	86 *	85 *	85 *	85 *	85 *	84 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510714.IES

CANDELA TABULATION - (Cont.)

55.0	150 *	151 *	151 *	151 *	150 *	149 *	148 *	147 *	146 *	145 *
47.5	195 *	196 *	196 *	196 *	195 *	194 *	193 *	193 *	191 *	190 *
42.5	230 *	230 *	230 *	230 *	230 *	229 *	228 *	227 *	226 *	224 *
37.5	268 *	270 *	270 *	270 *	268 *	269 *	268 *	266 *	265 *	263 *
33.0	307 *	308 *	309 *	308 *	307 *	307 *	305 *	304 *	302 *	299 *
29.0	335 *	335 *	336 *	335 *	335 *	334 *	332 *	330 *	327 *	323 *
25.5	347 *	347 *	347 *	347 *	347 *	345 *	343 *	340 *	336 *	331 *
22.5	346 *	346 *	345 *	346 *	346 *	343 *	341 *	337 *	333 *	327 *
19.5	334 *	334 *	333 *	334 *	334 *	332 *	329 *	326 *	322 *	316 *
17.0	319 *	318 *	317 *	318 *	319 *	316 *	314 *	310 *	306 *	301 *
15.0	304 *	305 *	303 *	305 *	304 *	302 *	301 *	297 *	293 *	287 *
13.0	289 *	290 *	288 *	290 *	289 *	288 *	286 *	283 *	278 *	273 *
11.0	274 *	275 *	273 *	275 *	274 *	273 *	271 *	268 *	264 *	259 *
9.0	259 *	259 *	257 *	259 *	259 *	257 *	255 *	253 *	249 *	245 *
7.0	243 *	243 *	241 *	243 *	243 *	242 *	240 *	238 *	234 *	230 *
5.0	226 *	226 *	224 *	226 *	226 *	225 *	224 *	221 *	218 *	215 *
3.0	210 *	210 *	207 *	210 *	210 *	209 *	207 *	205 *	203 *	199 *
1.0	195 *	194 *	193 *	194 *	195 *	194 *	192 *	191 *	188 *	185 *
0.0	188 *	187 *	187 *	187 *	188 *	187 *	185 *	183 *	181 *	178 *
-1.0	181 *	180 *	179 *	180 *	181 *	180 *	179 *	177 *	175 *	172 *
-3.0	167 *	167 *	165 *	167 *	167 *	167 *	165 *	164 *	163 *	160 *
-5.0	154 *	155 *	153 *	155 *	154 *	154 *	153 *	152 *	150 *	149 *
-7.0	144 *	144 *	143 *	144 *	144 *	144 *	143 *	143 *	142 *	140 *
-9.0	137 *	137 *	136 *	137 *	137 *	136 *	137 *	136 *	135 *	134 *
-11.0	132 *	132 *	131 *	132 *	132 *	132 *	132 *	131 *	130 *	130 *
-13.0	128 *	128 *	128 *	128 *	128 *	128 *	128 *	128 *	127 *	126 *
-15.0	126 *	125 *	125 *	125 *	126 *	125 *	125 *	124 *	124 *	124 *
-17.0	123 *	123 *	123 *	123 *	123 *	123 *	123 *	122 *	123 *	122 *
-19.5	121 *	120 *	120 *	120 *	121 *	121 *	121 *	120 *	120 *	120 *
-22.5	119 *	119 *	119 *	119 *	119 *	119 *	119 *	119 *	119 *	119 *
-25.5	119 *	120 *	120 *	120 *	119 *	119 *	120 *	120 *	119 *	119 *
-29.0	121 *	121 *	122 *	121 *	121 *	121 *	121 *	121 *	121 *	121 *
-33.0	123 *	124 *	124 *	124 *	123 *	123 *	123 *	124 *	124 *	124 *
-37.5	122 *	122 *	122 *	122 *	122 *	122 *	122 *	122 *	122 *	122 *
-42.5	113 *	113 *	113 *	113 *	113 *	113 *	113 *	112 *	112 *	111 *
-47.5	100 *	99 *	99 *	99 *	100 *	99 *	99 *	99 *	98 *	97 *
-55.0	76 *	75 *	75 *	75 *	76 *	75 *	75 *	75 *	74 *	74 *
-65.0	37 *	36 *	36 *	36 *	37 *	37 *	37 *	38 *	38 *	37 *
-75.0	12	12	12	12	12	12	12	13	13	12
-85.0	2	1	1	1	2	2	2	2	2	2
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Horizontal Angles

	<u>15.0</u>	<u>17.0</u>	<u>19.5</u>	<u>22.5</u>	<u>25.5</u>	<u>29.0</u>	<u>33.0</u>	<u>37.5</u>	<u>42.5</u>	<u>47.5</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	2	2	3	3	3	2	2	2	2	2
75.0	29	29	29	28	28	27	25	23	20	16
65.0	83 *	82 *	81 *	79 *	77 *	72 *	68 *	61 *	54 *	45 *
55.0	143 *	141 *	138 *	135 *	131 *	125 *	118 *	109 *	97 *	84 *
47.5	188 *	186 *	183 *	180 *	175 *	169 *	160 *	149 *	132 *	111 *
42.5	222 *	220 *	217 *	213 *	208 *	200 *	190 *	175 *	154 *	126 *
37.5	261 *	258 *	254 *	249 *	242 *	233 *	218 *	197 *	168 *	135 *
33.0	296 *	292 *	287 *	279 *	269 *	255 *	236 *	209 *	174 *	136 *
29.0	319 *	313 *	305 *	295 *	283 *	264 *	240 *	209 *	172 *	134 *
25.5	325 *	319 *	309 *	297 *	282 *	262 *	235 *	203 *	166 *	129 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510714.IES

CANDELA TABULATION - (Cont.)

22.5	322 *	314 *	304 *	289 *	274 *	253 *	227 *	195 *	160 *	125 *
19.5	309 *	301 *	290 *	277 *	261 *	240 *	215 *	185 *	151 *	120 *
17.0	294 *	286 *	276 *	263 *	248 *	228 *	205 *	176 *	145 *	115 *
15.0	280 *	274 *	264 *	251 *	237 *	218 *	196 *	169 *	140 *	112 *
13.0	267 *	261 *	252 *	239 *	225 *	208 *	187 *	162 *	134 *	109 *
11.0	254 *	247 *	239 *	227 *	214 *	198 *	177 *	154 *	129 *	106 *
9.0	240 *	234 *	226 *	215 *	202 *	187 *	168 *	147 *	124 *	104 *
7.0	225 *	219 *	212 *	202 *	190 *	176 *	159 *	140 *	120 *	102 *
5.0	210 *	205 *	198 *	189 *	178 *	166 *	151 *	134 *	116 *	100 *
3.0	195 *	191 *	185 *	177 *	168 *	156 *	143 *	129 *	114 *	99 *
1.0	182 *	178 *	172 *	166 *	158 *	148 *	137 *	124 *	111 *	97 *
0.0	175 *	172 *	166 *	160 *	153 *	144 *	134 *	121 *	109 *	96 *
-1.0	169 *	166 *	161 *	155 *	149 *	140 *	131 *	120 *	108 *	96 *
-3.0	158 *	155 *	151 *	146 *	140 *	134 *	126 *	117 *	107 *	95 *
-5.0	147 *	145 *	142 *	138 *	134 *	129 *	123 *	115 *	105 *	95 *
-7.0	139 *	137 *	135 *	132 *	129 *	125 *	120 *	113 *	105 *	95 *
-9.0	133 *	132 *	130 *	128 *	126 *	122 *	118 *	112 *	104 *	95 *
-11.0	129 *	128 *	127 *	125 *	123 *	120 *	116 *	111 *	104 *	95 *
-13.0	126 *	125 *	124 *	123 *	121 *	119 *	115 *	111 *	103 *	95 *
-15.0	123 *	123 *	122 *	121 *	120 *	117 *	114 *	110 *	103 *	95 *
-17.0	122 *	121 *	121 *	120 *	118 *	116 *	114 *	109 *	103 *	94 *
-19.5	120 *	120 *	119 *	118 *	117 *	116 *	113 *	109 *	103 *	94 *
-22.5	119 *	119 *	118 *	118 *	117 *	115 *	113 *	109 *	103 *	94 *
-25.5	119 *	119 *	119 *	118 *	117 *	116 *	113 *	109 *	103 *	94 *
-29.0	121 *	121 *	121 *	120 *	119 *	117 *	114 *	109 *	102 *	93 *
-33.0	124 *	124 *	123 *	122 *	121 *	119 *	115 *	108 *	100 *	90 *
-37.5	122 *	121 *	120 *	119 *	117 *	115 *	110 *	103 *	95 *	86 *
-42.5	111 *	110 *	109 *	108 *	106 *	104 *	100 *	95 *	87 *	78 *
-47.5	97 *	96 *	95 *	93 *	92 *	90 *	86 *	82 *	76 *	68 *
-55.0	73 *	73 *	71 *	70 *	69 *	67 *	65 *	62 *	57 *	51 *
-65.0	38 *	38 *	38 *	38 *	38 *	37 *	37 *	35 *	32	29
-75.0	12	12	13	13	13	13	14	13	13	11
-85.0	2	2	2	2	2	2	2	2	2	2
-90.0	0	0	0	0	0	0	0	0	0	0


Vert. Angles	Horizontal Angles				
	<u>55.0</u>	<u>65.0</u>	<u>75.0</u>	<u>85.0</u>	<u>90.0</u>
90.0	0	0	0	0	0
85.0	1	1	1	0	0
75.0	12	5	2	0	0
65.0	32	13	4	0	0
55.0	57 *	22	6	0	0
47.5	72 *	29	8	1	0
42.5	79 *	33	10	1	0
37.5	83 *	36 *	12	1	0
33.0	84 *	38 *	13	1	0
29.0	84 *	40 *	14	1	0
25.5	83 *	41 *	15	2	0
22.5	81 *	42 *	16	2	0
19.5	81 *	43 *	17	2	0
17.0	79 *	44 *	18	2	0
15.0	78 *	45 *	18	2	0
13.0	78 *	45 *	19	2	0
11.0	77 *	46 *	19	2	0
9.0	77 *	46 *	20	2	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510714.IES

CANDELA TABULATION - (Cont.)


7.0	76 *	47 *	20	2	0
5.0	77 *	48 *	20	2	0
3.0	77 *	48 *	21	2	0
1.0	77 *	49 *	21	2	0
0.0	77 *	49 *	21	2	0
-1.0	77 *	49 *	21	2	0
-3.0	77 *	50 *	21	2	0
-5.0	77 *	50 *	21	2	0
-7.0	77 *	50 *	21	2	0
-9.0	78 *	50 *	21	2	0
-11.0	78 *	50 *	21	2	0
-13.0	78 *	50 *	21	2	0
-15.0	78 *	50 *	20	2	0
-17.0	78 *	50 *	20	2	0
-19.5	78 *	49 *	20	2	0
-22.5	78 *	49 *	19	2	0
-25.5	76 *	48 *	19	2	0
-29.0	75 *	46 *	18	2	0
-33.0	72 *	44 *	17	2	0
-37.5	68 *	41 *	15	1	0
-42.5	61 *	36 *	13	1	0
-47.5	54 *	31	11	1	0
-55.0	41 *	23	8	1	0
-65.0	23	13	5	1	0
-75.0	9	5	2	0	0
-85.0	1	1	1	0	0
-90.0	0	0	0	0	0

AXIAL CANDELA DISPLAY



Maximum Candela = 347 Located At Horizontal Angle = -3, Vertical Angle = 25.5
H - Horizontal Axial Candela
V - Vertical Axial Candela

ISOCANDELA CURVES



Maximum Candela = 347 Located At Horizontal Angle = -3, Vertical Angle = 25.5
50% Maximum Candela = 173.5
10% Maximum Candela = 34.7