



8165 E. Kaiser Blvd. Anaheim, CA 92808

www.lightlaboratory.com

Photometric Test Report

IES FLOOD REPORT

PHOTOMETRIC FILENAME : L052510762.IES

DESCRIPTIVE INFORMATION (From Photometric File)

[IESNA:LM-63-2002

[TEST] L052510762

[TESTLAB] LIGHT LABORATORY, INC. (www.lightlaboratory.com)

[ISSUEDATE] 6/10/2025

[MANUFAC] Vista Professional Outdoor Lighting

[LUMCAT] 1054-WW-RGBW-(G)

[LUMINAIRE] 1054 Wall Wash Green Output

[BALLASTCAT] ELDOLED PW50U-M4Z0X1

[OTHER] INDICATING THE CANDELA VALUES ARE ABSOLUTE AND

[MORE] SHOULD NOT BE FACTORED FOR DIFFERENT LAMP RATINGS.

[MORE] Base file 80239581-38

[INPUT] 120VAC

[TEST PROCEDURE] IESNA:LM-79-19

Note: Candela values converted from Type-C to Type-B

CHARACTERISTICS

NEMA Type	7 H x 7 V
Maximum Candela	1239
Maximum Candela Angle	-1H 25.5V
Horizontal Beam Angle (50%)	83.0
Vertical Beam Angle (50%)	53.2
Horizontal Field Angle (10%)	135.4
Vertical Field Angle (10%)	139.7
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	886
Beam Efficiency	N.A.
Field Lumens	2045
Field Efficiency	N.A.
Spill Lumens	87
Luminaire Lumens	2132
Total Efficiency	N.A.
Total Luminaire Watts	41.82
Ballast Factor	1.00

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510762.IES

AXIAL CANDELA

DEG.	HOR.	DEG.	VERT.
90	0	90	0
85	8	85	8
75	74	75	102
65	175	65	309
55	273	55	538
47.5	343	47.5	699
42.5	388	42.5	822
37.5	434	37.5	965
33	476	33	1102
29	513	29	1199
25.5	545	25.5	1238
22.5	571	22.5	1233
19.5	595	19.5	1190
17	612	17	1133
15	625	15	1082
13	637	13	1028
11	647	11	974
9	656	9	918
7	662	7	860
5	667	5	800
3	670	3	741
1	669	1	691
0	668	0	668
-1	669	-1	640
-3	670	-3	588
-5	667	-5	545
-7	662	-7	511
-9	656	-9	487
-11	647	-11	470
-13	637	-13	456
-15	625	-15	446
-17	612	-17	439
-19.5	595	-19.5	431
-22.5	571	-22.5	426
-25.5	545	-25.5	428
-29	513	-29	434
-33	476	-33	441
-37.5	434	-37.5	437
-42.5	388	-42.5	404
-47.5	343	-47.5	355
-55	273	-55	268
-65	175	-65	130
-75	74	-75	43
-85	8	-85	5
-90	0	-90	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510762.IES

CANDELA TABULATION

Maximum Candela = 1239

Beam Edge = 619.5 Cd (50% of Max.)

Field Edge = 123.9 Cd (10% of Max.)

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>-90.0</u>	<u>-85.0</u>	<u>-75.0</u>	<u>-65.0</u>	<u>-55.0</u>	<u>-47.5</u>	<u>-42.5</u>	<u>-37.5</u>	<u>-33.0</u>	<u>-29.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	0	1	3	4	7	8	9	9	9
75.0	0	1	5	18	42	59	71	82	91	96
65.0	0	2	12	45	114	163 *	192 *	219 *	242 *	259 *
55.0	0	3	22	80	204 *	298 *	347 *	389 *	421 *	445 *
47.5	0	4	31	104	258 *	398 *	472 *	533 *	571 *	602 *
42.5	0	5	37	118	283 *	448 *	548 *	626 *	679 *	716 *
37.5	0	5	43	127 *	298 *	481 *	601 *	705 *	778 *	830 *
33.0	0	6	48	136 *	301 *	485 *	621 *	747 *	843 *	911 *
29.0	0	6	52	143 *	300 *	478 *	614 *	746 *	857 *	945 *
25.5	0	6	56	149 *	297 *	463 *	593 *	727 *	842 *	934 *
22.5	0	7	59	151 *	290 *	446 *	570 *	697 *	810 *	904 *
19.5	0	7	62	155 *	288 *	429 *	541 *	661 *	768 *	857 *
17.0	0	7	64	159 *	284 *	412 *	518 *	629 *	730 *	815 *
15.0	0	7	66	161 *	279 *	402 *	498 *	603 *	698 *	779 *
13.0	0	7	67	163 *	278 *	390 *	480 *	577 *	666 *	743 *
11.0	0	8	69	164 *	277 *	378 *	461 *	550 *	633 *	705 *
9.0	0	8	70	167 *	276 *	371 *	442 *	524 *	600 *	667 *
7.0	0	8	71	169 *	274 *	363 *	429 *	500 *	567 *	628 *
5.0	0	8	73	171 *	274 *	355 *	415 *	479 *	539 *	591 *
3.0	0	8	73	173 *	275 *	352 *	405 *	460 *	512 *	559 *
1.0	0	8	74	174 *	274 *	346 *	394 *	443 *	489 *	529 *
0.0	0	8	74	175 *	273 *	343 *	388 *	434 *	476 *	513 *
-1.0	0	8	74	176 *	274 *	343 *	386 *	429 *	467 *	501 *
-3.0	0	8	75	178 *	276 *	342 *	381 *	418 *	449 *	478 *
-5.0	0	8	75	179 *	277 *	340 *	376 *	410 *	437 *	460 *
-7.0	0	8	75	179 *	277 *	339 *	374 *	404 *	427 *	447 *
-9.0	0	8	75	180 *	278 *	339 *	371 *	400 *	421 *	437 *
-11.0	0	8	74	180 *	279 *	338 *	371 *	397 *	416 *	430 *
-13.0	0	8	74	180 *	279 *	338 *	370 *	394 *	412 *	424 *
-15.0	0	8	73	179 *	279 *	338 *	369 *	393 *	408 *	419 *
-17.0	0	7	72	178 *	279 *	338 *	368 *	391 *	406 *	416 *
-19.5	0	7	71	177 *	278 *	338 *	367 *	389 *	404 *	413 *
-22.5	0	7	69	174 *	277 *	337 *	367 *	389 *	403 *	411 *
-25.5	0	7	67	171 *	273 *	336 *	367 *	390 *	405 *	413 *
-29.0	0	6	64	165 *	268 *	331 *	365 *	391 *	408 *	419 *
-33.0	0	6	60	157 *	257 *	322 *	357 *	387 *	409 *	422 *
-37.5	0	6	55	145 *	242 *	306 *	340 *	370 *	393 *	409 *
-42.5	0	5	48	130 *	219 *	278 *	310 *	337 *	357 *	370 *
-47.5	0	4	40	112	192 *	243 *	271 *	295 *	309 *	320 *
-55.0	0	3	29	84	146 *	184 *	205 *	221 *	232 *	240 *
-65.0	0	2	16	46	82	105	117	125 *	131 *	134 *
-75.0	0	1	6	18	33	41	46	48	48	47
-85.0	0	0	1	3	4	5	6	6	6	6
-90.0	0	0	0	0	0	0	0	0	0	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510762.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	9	8	8	8	8	7	7	7	7	7
75.0	99	101	102	103	102	102	101	101	101	101
65.0	273 *	281 *	288 *	293 *	297 *	299 *	302 *	303 *	304 *	304 *
55.0	465 *	481 *	494 *	503 *	510 *	516 *	522 *	527 *	530 *	531 *
47.5	624 *	640 *	653 *	663 *	670 *	677 *	683 *	688 *	691 *	693 *
42.5	742 *	761 *	776 *	786 *	794 *	801 *	806 *	811 *	813 *	816 *
37.5	866 *	891 *	909 *	922 *	932 *	940 *	947 *	952 *	956 *	959 *
33.0	960 *	995 *	1023 *	1042 *	1056 *	1069 *	1079 *	1084 *	1090 *	1095 *
29.0	1009 *	1052 *	1090 *	1117 *	1138 *	1154 *	1167 *	1178 *	1187 *	1193 *
25.5	1007 *	1060 *	1105 *	1141 *	1162 *	1182 *	1203 *	1215 *	1224 *	1232 *
22.5	978 *	1034 *	1083 *	1121 *	1149 *	1169 *	1190 *	1205 *	1217 *	1225 *
19.5	933 *	988 *	1038 *	1075 *	1103 *	1126 *	1147 *	1163 *	1176 *	1185 *
17.0	884 *	940 *	987 *	1023 *	1050 *	1073 *	1094 *	1109 *	1121 *	1131 *
15.0	845 *	897 *	944 *	978 *	1003 *	1026 *	1045 *	1061 *	1073 *	1081 *
13.0	806 *	854 *	898 *	931 *	955 *	976 *	995 *	1010 *	1021 *	1028 *
11.0	765 *	812 *	853 *	883 *	906 *	926 *	943 *	957 *	967 *	975 *
9.0	723 *	767 *	805 *	834 *	856 *	875 *	891 *	904 *	913 *	920 *
7.0	679 *	720 *	757 *	784 *	804 *	821 *	837 *	849 *	858 *	864 *
5.0	636 *	673 *	707 *	732 *	749 *	765 *	780 *	790 *	799 *	806 *
3.0	599 *	631 *	659 *	680 *	697 *	711 *	723 *	733 *	741 *	746 *
1.0	563 *	591 *	616 *	635 *	649 *	661 *	672 *	681 *	688 *	693 *
0.0	545 *	571 *	595 *	612 *	625 *	637 *	647 *	656 *	662 *	667 *
-1.0	531 *	555 *	576 *	593 *	605 *	615 *	625 *	633 *	639 *	643 *
-3.0	502 *	522 *	539 *	553 *	563 *	572 *	581 *	587 *	591 *	594 *
-5.0	478 *	493 *	507 *	518 *	526 *	532 *	538 *	543 *	547 *	549 *
-7.0	461 *	472 *	482 *	490 *	496 *	500 *	505 *	509 *	512 *	515 *
-9.0	449 *	457 *	465 *	471 *	475 *	479 *	483 *	485 *	487 *	487 *
-11.0	440 *	447 *	453 *	458 *	462 *	465 *	467 *	468 *	470 *	470 *
-13.0	432 *	439 *	444 *	448 *	450 *	453 *	454 *	456 *	457 *	458 *
-15.0	427 *	432 *	437 *	440 *	442 *	443 *	445 *	445 *	446 *	447 *
-17.0	423 *	427 *	431 *	433 *	435 *	436 *	437 *	437 *	438 *	439 *
-19.5	419 *	422 *	425 *	427 *	428 *	429 *	430 *	430 *	431 *	431 *
-22.5	417 *	420 *	422 *	424 *	425 *	425 *	425 *	426 *	426 *	427 *
-25.5	418 *	421 *	423 *	424 *	426 *	426 *	426 *	427 *	427 *	427 *
-29.0	425 *	429 *	431 *	432 *	433 *	433 *	434 *	433 *	433 *	433 *
-33.0	431 *	437 *	440 *	442 *	442 *	443 *	443 *	442 *	441 *	441 *
-37.5	419 *	426 *	430 *	432 *	434 *	434 *	435 *	435 *	436 *	436 *
-42.5	379 *	385 *	390 *	394 *	396 *	398 *	399 *	401 *	402 *	403 *
-47.5	328 *	334 *	339 *	343 *	346 *	348 *	350 *	352 *	353 *	355 *
-55.0	246 *	252 *	256 *	260 *	262 *	264 *	266 *	267 *	268 *	269 *
-65.0	137 *	136 *	136 *	136 *	135 *	134 *	134 *	134 *	134 *	133 *
-75.0	46	46	45	45	45	45	45	45	44	44
-85.0	6	6	5	6	6	6	6	6	5	5
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	7	8	8	8	7	7	7	7	7	7
75.0	101	102	102	102	101	101	101	101	101	102
65.0	307 *	308 *	309 *	308 *	307 *	304 *	304 *	303 *	302 *	299 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510762.IES

CANDELA TABULATION - (Cont.)

55.0	535 *	537 *	538 *	537 *	535 *	531 *	530 *	527 *	522 *	516 *
47.5	697 *	698 *	699 *	698 *	697 *	693 *	691 *	688 *	683 *	677 *
42.5	820 *	821 *	822 *	821 *	820 *	816 *	813 *	811 *	806 *	801 *
37.5	959 *	964 *	965 *	964 *	959 *	959 *	956 *	952 *	947 *	940 *
33.0	1097 *	1101 *	1102 *	1101 *	1097 *	1095 *	1090 *	1084 *	1079 *	1069 *
29.0	1195 *	1198 *	1199 *	1198 *	1195 *	1193 *	1187 *	1178 *	1167 *	1154 *
25.5	1238 *	1239 *	1238 *	1239 *	1238 *	1232 *	1224 *	1215 *	1203 *	1182 *
22.5	1234 *	1236 *	1233 *	1236 *	1234 *	1225 *	1217 *	1205 *	1190 *	1169 *
19.5	1192 *	1192 *	1190 *	1192 *	1192 *	1185 *	1176 *	1163 *	1147 *	1126 *
17.0	1139 *	1137 *	1133 *	1137 *	1139 *	1131 *	1121 *	1109 *	1094 *	1073 *
15.0	1087 *	1087 *	1082 *	1087 *	1087 *	1081 *	1073 *	1061 *	1045 *	1026 *
13.0	1033 *	1035 *	1028 *	1035 *	1033 *	1028 *	1021 *	1010 *	995 *	976 *
11.0	978 *	982 *	974 *	982 *	978 *	975 *	967 *	957 *	943 *	926 *
9.0	923 *	926 *	918 *	926 *	923 *	920 *	913 *	904 *	891 *	875 *
7.0	867 *	868 *	860 *	868 *	867 *	864 *	858 *	849 *	837 *	821 *
5.0	808 *	806 *	800 *	806 *	808 *	806 *	799 *	790 *	780 *	765 *
3.0	749 *	749 *	741 *	749 *	749 *	746 *	741 *	733 *	723 *	711 *
1.0	695 *	695 *	691 *	695 *	695 *	693 *	688 *	681 *	672 *	661 *
0.0	670 *	669 *	668 *	669 *	670 *	667 *	662 *	656 *	647 *	637 *
-1.0	645 *	644 *	640 *	644 *	645 *	643 *	639 *	633 *	625 *	615 *
-3.0	596 *	595 *	588 *	595 *	596 *	594 *	591 *	587 *	581 *	572 *
-5.0	551 *	553 *	545 *	553 *	551 *	549 *	547 *	543 *	538 *	532 *
-7.0	514 *	515 *	511 *	515 *	514 *	515 *	512 *	509 *	505 *	500 *
-9.0	489 *	490 *	487 *	490 *	489 *	487 *	487 *	485 *	483 *	479 *
-11.0	471 *	472 *	470 *	472 *	471 *	470 *	470 *	468 *	467 *	465 *
-13.0	458 *	458 *	456 *	458 *	458 *	458 *	457 *	456 *	454 *	453 *
-15.0	448 *	447 *	446 *	447 *	448 *	447 *	446 *	445 *	445 *	443 *
-17.0	439 *	439 *	439 *	439 *	439 *	439 *	438 *	437 *	437 *	436 *
-19.5	432 *	431 *	431 *	431 *	432 *	431 *	431 *	430 *	430 *	429 *
-22.5	427 *	426 *	426 *	426 *	427 *	427 *	426 *	426 *	425 *	425 *
-25.5	427 *	427 *	428 *	427 *	427 *	427 *	427 *	427 *	426 *	426 *
-29.0	432 *	433 *	434 *	433 *	432 *	433 *	433 *	433 *	434 *	433 *
-33.0	440 *	441 *	441 *	441 *	440 *	441 *	441 *	442 *	443 *	443 *
-37.5	436 *	437 *	437 *	437 *	436 *	436 *	436 *	435 *	435 *	434 *
-42.5	405 *	404 *	404 *	404 *	405 *	403 *	402 *	401 *	399 *	398 *
-47.5	356 *	355 *	355 *	355 *	356 *	355 *	353 *	352 *	350 *	348 *
-55.0	270 *	269 *	268 *	269 *	270 *	269 *	268 *	267 *	266 *	264 *
-65.0	133 *	131 *	130 *	131 *	133 *	133 *	134 *	134 *	134 *	134 *
-75.0	44	43	43	43	44	44	44	45	45	45
-85.0	5	5	5	5	5	5	5	6	6	6
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Horizontal Angles
Angles

	15.0	17.0	19.5	22.5	25.5	29.0	33.0	37.5	42.5	47.5
90.0	0	0	0	0	0	0	0	0	0	0
85.0	8	8	8	8	9	9	9	9	8	7
75.0	102	103	102	101	99	96	91	82	71	59
65.0	297 *	293 *	288 *	281 *	273 *	259 *	242 *	219 *	192 *	163 *
55.0	510 *	503 *	494 *	481 *	465 *	445 *	421 *	389 *	347 *	298 *
47.5	670 *	663 *	653 *	640 *	624 *	602 *	571 *	533 *	472 *	398 *
42.5	794 *	786 *	776 *	761 *	742 *	716 *	679 *	626 *	548 *	448 *
37.5	932 *	922 *	909 *	891 *	866 *	830 *	778 *	705 *	601 *	481 *
33.0	1056 *	1042 *	1023 *	995 *	960 *	911 *	843 *	747 *	621 *	485 *
29.0	1138 *	1117 *	1090 *	1052 *	1009 *	945 *	857 *	746 *	614 *	478 *
25.5	1162 *	1141 *	1105 *	1060 *	1007 *	934 *	842 *	727 *	593 *	463 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510762.IES

CANDELA TABULATION - (Cont.)

22.5	1149 *	1121 *	1083 *	1034 *	978 *	904 *	810 *	697 *	570 *	446 *
19.5	1103 *	1075 *	1038 *	988 *	933 *	857 *	768 *	661 *	541 *	429 *
17.0	1050 *	1023 *	987 *	940 *	884 *	815 *	730 *	629 *	518 *	412 *
15.0	1003 *	978 *	944 *	897 *	845 *	779 *	698 *	603 *	498 *	402 *
13.0	955 *	931 *	898 *	854 *	806 *	743 *	666 *	577 *	480 *	390 *
11.0	906 *	883 *	853 *	812 *	765 *	705 *	633 *	550 *	461 *	378 *
9.0	856 *	834 *	805 *	767 *	723 *	667 *	600 *	524 *	442 *	371 *
7.0	804 *	784 *	757 *	720 *	679 *	628 *	567 *	500 *	429 *	363 *
5.0	749 *	732 *	707 *	673 *	636 *	591 *	539 *	479 *	415 *	355 *
3.0	697 *	680 *	659 *	631 *	599 *	559 *	512 *	460 *	405 *	352 *
1.0	649 *	635 *	616 *	591 *	563 *	529 *	489 *	443 *	394 *	346 *
0.0	625 *	612 *	595 *	571 *	545 *	513 *	476 *	434 *	388 *	343 *
-1.0	605 *	593 *	576 *	555 *	531 *	501 *	467 *	429 *	386 *	343 *
-3.0	563 *	553 *	539 *	522 *	502 *	478 *	449 *	418 *	381 *	342 *
-5.0	526 *	518 *	507 *	493 *	478 *	460 *	437 *	410 *	376 *	340 *
-7.0	496 *	490 *	482 *	472 *	461 *	447 *	427 *	404 *	374 *	339 *
-9.0	475 *	471 *	465 *	457 *	449 *	437 *	421 *	400 *	371 *	339 *
-11.0	462 *	458 *	453 *	447 *	440 *	430 *	416 *	397 *	371 *	338 *
-13.0	450 *	448 *	444 *	439 *	432 *	424 *	412 *	394 *	370 *	338 *
-15.0	442 *	440 *	437 *	432 *	427 *	419 *	408 *	393 *	369 *	338 *
-17.0	435 *	433 *	431 *	427 *	423 *	416 *	406 *	391 *	368 *	338 *
-19.5	428 *	427 *	425 *	422 *	419 *	413 *	404 *	389 *	367 *	338 *
-22.5	425 *	424 *	422 *	420 *	417 *	411 *	403 *	389 *	367 *	337 *
-25.5	426 *	424 *	423 *	421 *	418 *	413 *	405 *	390 *	367 *	336 *
-29.0	433 *	432 *	431 *	429 *	425 *	419 *	408 *	391 *	365 *	331 *
-33.0	442 *	442 *	440 *	437 *	431 *	422 *	409 *	387 *	357 *	322 *
-37.5	434 *	432 *	430 *	426 *	419 *	409 *	393 *	370 *	340 *	306 *
-42.5	396 *	394 *	390 *	385 *	379 *	370 *	357 *	337 *	310 *	278 *
-47.5	346 *	343 *	339 *	334 *	328 *	320 *	309 *	295 *	271 *	243 *
-55.0	262 *	260 *	256 *	252 *	246 *	240 *	232 *	221 *	205 *	184 *
-65.0	135 *	136 *	136 *	136 *	137 *	134 *	131 *	125 *	117 *	105 *
-75.0	45	45	45	46	46	47	48	48	46	41
-85.0	6	6	5	6	6	6	6	6	6	5
-90.0	0	0	0	0	0	0	0	0	0	0


Vert. Angles	Horizontal Angles				
	<u>55.0</u>	<u>65.0</u>	<u>75.0</u>	<u>85.0</u>	<u>90.0</u>
90.0	0	0	0	0	0
85.0	4	3	1	0	0
75.0	42	18	5	1	0
65.0	114	45	12	2	0
55.0	204 *	80	22	3	0
47.5	258 *	104	31	4	0
42.5	283 *	118	37	5	0
37.5	298 *	127 *	43	5	0
33.0	301 *	136 *	48	6	0
29.0	300 *	143 *	52	6	0
25.5	297 *	149 *	56	6	0
22.5	290 *	151 *	59	7	0
19.5	288 *	155 *	62	7	0
17.0	284 *	159 *	64	7	0
15.0	279 *	161 *	66	7	0
13.0	278 *	163 *	67	7	0
11.0	277 *	164 *	69	8	0
9.0	276 *	167 *	70	8	0

IES FLOOD REPORT
 PHOTOMETRIC FILENAME : L052510762.IES

CANDELA TABULATION - (Cont.)

7.0	274 *	169 *	71	8	0
5.0	274 *	171 *	73	8	0
3.0	275 *	173 *	73	8	0
1.0	274 *	174 *	74	8	0
0.0	273 *	175 *	74	8	0
-1.0	274 *	176 *	74	8	0
-3.0	276 *	178 *	75	8	0
-5.0	277 *	179 *	75	8	0
-7.0	277 *	179 *	75	8	0
-9.0	278 *	180 *	75	8	0
-11.0	279 *	180 *	74	8	0
-13.0	279 *	180 *	74	8	0
-15.0	279 *	179 *	73	8	0
-17.0	279 *	178 *	72	7	0
-19.5	278 *	177 *	71	7	0
-22.5	277 *	174 *	69	7	0
-25.5	273 *	171 *	67	7	0
-29.0	268 *	165 *	64	6	0
-33.0	257 *	157 *	60	6	0
-37.5	242 *	145 *	55	6	0
-42.5	219 *	130 *	48	5	0
-47.5	192 *	112	40	4	0
-55.0	146 *	84	29	3	0
-65.0	82	46	16	2	0
-75.0	33	18	6	1	0
-85.0	4	3	1	0	0
-90.0	0	0	0	0	0

AXIAL CANDELA DISPLAY




Maximum Candela = 1239 Located At Horizontal Angle = -1, Vertical Angle = 25.5

H - Horizontal Axial Candela

V - Vertical Axial Candela

ISOCANDELA CURVES



Maximum Candela = 1239 Located At Horizontal Angle = -1, Vertical Angle = 25.5
50% Maximum Candela = 619.5
10% Maximum Candela = 123.9