



5106 + EAM-S | Specification Sheet

Commercial Series • Low Voltage • Sign Light

TYPE: MODEL:

PROJECT:

DESCRIPTION



- Extended Arm Mount (**EAM**) extends the **5106** Floodlight off a surface for a variety of lighting applications.
- Sign lights are suitable for wall and ground mount applications.
- This is a single head sign light. Double head sign lights are available.



5106



EAM-S



EAM-S-90



EAM-S-R45



EAM-S-R180

5106 PRODUCT FEATURES

Wattage	2 – 4 W
Voltage	9 – 15 VAC
CCT	3000K, 4000K, 5000K
Housing	Die-cast Aluminum
Dimensions	5" W x 3 7/8" H x 2" D

EAM-S PRODUCT FEATURES

Material	Aluminum
Mounting	1/2" NPT
EAM-S	1" DIA x [18" 24" 36"] L
EAM-S-90	6 1/2" H x [18" 24" 36"] L
EAM-S-R45	6 1/2" H x [18" 24" 36"] L
EAM-S-R180	6 1/2" H x [18" 24" 36"] L
90S 90° Slip-fitter	1 3/8" Dia x 3" L



90S



PROFESSIONAL
OUTDOOR LIGHTING

www.VistaPro.com • email@vistapro.com • Fax: (888) 670-VISTA (8478)
1625 Surveyor Avenue • Simi Valley, CA 93063 • (805) 527-0987 • (800) 766-VISTA (8478)
Vista Professional Outdoor Lighting reserves the right to modify the design and/or construction of the fixture shown without further notification.



5106 ORDERING INFORMATION

EXAMPLE: **5106-B-2-W-36-IK-HL-5**

MODEL	FINISH	WATTAGE	TEMPERATURE	KNUCKLE	ACC	ACC
5106				IK		5

MODEL	FINISH					
5106	B	Black	LZ	Light Bronze	WI	Weathered Iron
	Z	Architectural Bronze	SB	Special Bronze	GM	Graphite Metallic
	DZ	Dark Bronze	GG	Glossy Gray	G	Verde
	GT	Granite	R	Rust	P	Pewter
	W	White	HG	Hunter Green	M	Mocha
	BR	Architectural Brick	WB	Weathered Bronze	OF	Olde Finish

WATTAGE	COLOR TEMPERATURE	KNUCKLE	ACCESSORIES	ORDERING NOTES
2 2 Watts	W 3000K	IK Infinity Knuckle	FR Frosted Lens	Fixtures shipped with specified mounting hardware.
3 3 Watts	N 4000K		5 5' Wire Lead (required for use with EAM)	
4 4 Watts	C 5000K			If fixture is to be used in conjunction with Extended Arm Mount (EAM): Must specify with extended wire length

EAM-S ORDERING INFORMATION

EXAMPLE: **EAM-S-B-S-24-90S**

MODEL	CONFIGURATION	FINISH	SWEEP	LENGTH	ACCESSORIES
EAM	S				

MODEL	CONFIGURATION	FINISH			
EAM	S Single	B	Black	LZ	Light Bronze
		Z	Architectural Bronze	SB	Special Bronze
		DZ	Dark Bronze	GG	Glossy Gray
		GT	Granite	R	Rust
		W	White	HG	Hunter Green
		BR	Architectural Brick	WB	Weathered Bronze

SWEEP	LENGTH	ACCESSORIES	ORDERING NOTES
S Straight	18 18 Inches	90S 90° Slip-fitter	Custom length stems available – Consult Vista factory.
90 Ninety	24 24 Inches		
R45 Reverse Forty-Five	36 36 Inches		
R180 Reverse One-Eighty			





5106 SPECIFICATIONS

HOUSING:

Die-cast A360 aluminum. Optic and driver compartment environmentally sealed. Housing aimable utilizing Vista's patented Infinity Knuckle.

FINISH:

Powder coat finish available in Black, Architectural Bronze, Dark Bronze, Granite, White, Architectural Brick, Light Bronze, Special Bronze, Glossy Gray, Rust, Hunter Green, Weathered Bronze, Weathered Iron, Graphite Metallic, Verde, Pewter, Mocha and Olde Finish. Custom Powder coat finishes available on request.

LENS:

Clear, tempered glass lens.
Optical effect lenses are available.

WIRING:

Prewired with 150° C-rated wire.

MOUNTING:

Infinity Knuckle – Die-cast A360 aluminum, stainless steel stem with ½" NPT thread. A fully sealed spherical grommet allows for precise aiming and retention.

CERTIFICATION:

- UL Certified for wet locations (USA & Canada) | (UL 1838)
- Buy American Act (BAA)
- Build America, Buy America Act (BABA)

LED:

Performance LED. 2 – 4 Watts

COLOR TEMPERATURE:

3000K, 4000K or 5000K CCT White.

ELECTRICAL:

Input voltage range 9 - 15 VAC.
Low voltage transformer required to operate (sold separately).

EAM-S SPECIFICATIONS

CONSTRUCTION:

Heavy wall extruded, die-cast and machined aluminum parts.

FINISH:

Powder coat finish available in Black, Architectural Bronze, Dark Bronze, Granite, White, Architectural Brick, Light Bronze, Special Bronze, Glossy Gray, Rust, Hunter Green, Weathered Bronze, Weathered Iron, Graphite Metallic, Verde, Pewter, Mocha and Olde Finish. Custom Powder coat finishes available on request.


MOUNTING:

½" NPT threading for connection to mounting accessory such as a Vista Wall Mount Box or Mounting Canopy.

ACCESSORIES:


A convenient and compact 90° machined aluminum Slip-fitter can be ordered to change the lighting fixture orientation 90° at the end of the extension arm.

INFINITY KNUCKLE FEATURES








DIMENSIONS




5106




EAM-S-S




90S



EAM-S-R45



EAM-S-90



EAM-S-R180

