



8165 E. Kaiser Blvd. Anaheim, CA 92808

www.lightlaboratory.com

Photometric Test Report

IES FLOOD REPORT

PHOTOMETRIC FILENAME : L052510782.IES

DESCRIPTIVE INFORMATION (From Photometric File)

[IESNA:LM-63-2002

[TEST] L052510782

[TESTLAB] LIGHT LABORATORY, INC. (www.lightlaboratory.com)

[ISSUE DATE] 6/4/2025

[MANUFAC] Vista Professional Outdoor Lighting

[LUMCAT] 1142-WF-RGBW-(G)

[LUMINAIRE] 1142 Wide Flood Green Output

[BALLASTCAT] ELDOLED PW50U-M4Z0X1

[OTHER] INDICATING THE CANDELA VALUES ARE ABSOLUTE AND

[MORE] SHOULD NOT BE FACTORED FOR DIFFERENT LAMP RATINGS.

[MORE] Base file 80239581-34

[INPUT] 120VAC

[TEST PROCEDURE] IESNA:LM-79-19

Note: Candela values converted from Type-C to Type-B

CHARACTERISTICS

NEMA Type	7 H x 7 V
Maximum Candela	469
Maximum Candela Angle	0H -19.5V
Horizontal Beam Angle (50%)	79.9
Vertical Beam Angle (50%)	91.1
Horizontal Field Angle (10%)	148.7
Vertical Field Angle (10%)	149.0
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	673
Beam Efficiency	N.A.
Field Lumens	1007
Field Efficiency	N.A.
Spill Lumens	30
Luminaire Lumens	1037
Total Efficiency	N.A.
Total Luminaire Watts	20.76
Ballast Factor	1.00

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510782.IES

AXIAL CANDELA

DEG.	HOR.	DEG.	VERT.
90	0	90	0
85	8	85	6
75	47	75	45
65	92	65	83
55	134	55	134
47.5	171	47.5	208
42.5	200	42.5	276
37.5	233	37.5	349
33	265	33	404
29	294	29	440
25.5	318	25.5	460
22.5	339	22.5	467
19.5	357	19.5	469
17	373	17	466
15	383	15	461
13	393	13	455
11	401	11	449
9	408	9	443
7	414	7	437
5	418	5	431
3	422	3	429
1	425	1	427
0	426	0	426
-1	425	-1	427
-3	422	-3	429
-5	418	-5	431
-7	414	-7	437
-9	408	-9	443
-11	401	-11	449
-13	393	-13	455
-15	383	-15	461
-17	373	-17	466
-19.5	357	-19.5	469
-22.5	339	-22.5	467
-25.5	318	-25.5	460
-29	294	-29	440
-33	265	-33	404
-37.5	233	-37.5	349
-42.5	200	-42.5	276
-47.5	171	-47.5	208
-55	134	-55	134
-65	92	-65	83
-75	47	-75	45
-85	8	-85	6
-90	0	-90	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510782.IES

CANDELA TABULATION

Maximum Candela = 469

Beam Edge = 234.5 Cd (50% of Max.)

Field Edge = 46.9 Cd (10% of Max.)

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>-90.0</u>	<u>-85.0</u>	<u>-75.0</u>	<u>-65.0</u>	<u>-55.0</u>	<u>-47.5</u>	<u>-42.5</u>	<u>-37.5</u>	<u>-33.0</u>	<u>-29.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	0	1	1	3	3	4	4	5	5
75.0	0	1	5	11	18	24	28	32	35	38
65.0	0	2	11	25	42	53 *	60 *	66 *	71 *	75 *
55.0	0	3	18	42	66 *	86 *	97 *	108 *	116 *	121 *
47.5	0	4	24	55 *	87 *	112 *	131 *	150 *	165 *	177 *
42.5	0	5	29	62 *	98 *	130 *	156 *	182 *	205 *	223 *
37.5	0	5	33	70 *	109 *	148 *	178 *	214 *	244 *	269 *
33.0	0	6	36	76 *	117 *	159 *	195 *	236 *	273 *	303 *
29.0	0	6	39	80 *	123 *	168 *	206 *	249 *	288 *	323 *
25.5	0	6	41	83 *	127 *	173 *	211 *	256 *	296 *	331 *
22.5	0	7	42	85 *	130 *	176 *	214 *	257 *	298 *	334 *
19.5	0	7	44	87 *	132 *	176 *	213 *	255 *	296 *	332 *
17.0	0	7	45	89 *	133 *	175 *	212 *	253 *	292 *	327 *
15.0	0	7	45	90 *	134 *	175 *	211 *	250 *	288 *	322 *
13.0	0	7	46	91 *	134 *	175 *	209 *	247 *	284 *	317 *
11.0	0	8	46	92 *	134 *	174 *	207 *	244 *	280 *	312 *
9.0	0	8	47 *	92 *	134 *	173 *	205 *	241 *	276 *	307 *
7.0	0	8	47 *	92 *	134 *	173 *	204 *	239 *	272 *	303 *
5.0	0	8	47 *	93 *	134 *	172 *	203 *	237 *	270 *	299 *
3.0	0	8	47 *	93 *	134 *	172 *	203 *	235 *	267 *	296 *
1.0	0	8	47 *	92 *	134 *	171 *	201 *	234 *	266 *	294 *
0.0	0	8	47 *	92 *	134 *	171 *	200 *	233 *	265 *	294 *
-1.0	0	8	47 *	92 *	134 *	171 *	201 *	234 *	266 *	294 *
-3.0	0	8	47 *	93 *	134 *	172 *	203 *	235 *	267 *	296 *
-5.0	0	8	47 *	93 *	134 *	172 *	203 *	237 *	270 *	299 *
-7.0	0	8	47 *	92 *	134 *	173 *	204 *	239 *	272 *	303 *
-9.0	0	8	47 *	92 *	134 *	173 *	205 *	241 *	276 *	307 *
-11.0	0	8	46	92 *	134 *	174 *	207 *	244 *	280 *	312 *
-13.0	0	7	46	91 *	134 *	175 *	209 *	247 *	284 *	317 *
-15.0	0	7	45	90 *	134 *	175 *	211 *	250 *	288 *	322 *
-17.0	0	7	45	89 *	133 *	175 *	212 *	253 *	292 *	327 *
-19.5	0	7	44	87 *	132 *	176 *	213 *	255 *	296 *	332 *
-22.5	0	7	42	85 *	130 *	176 *	214 *	257 *	298 *	334 *
-25.5	0	6	41	83 *	127 *	173 *	211 *	256 *	296 *	331 *
-29.0	0	6	39	80 *	123 *	168 *	206 *	249 *	288 *	323 *
-33.0	0	6	36	76 *	117 *	159 *	195 *	236 *	273 *	303 *
-37.5	0	5	33	70 *	109 *	148 *	178 *	214 *	244 *	269 *
-42.5	0	5	29	62 *	98 *	130 *	156 *	182 *	205 *	223 *
-47.5	0	4	24	55 *	87 *	112 *	131 *	150 *	165 *	177 *
-55.0	0	3	18	42	66 *	86 *	97 *	108 *	116 *	121 *
-65.0	0	2	11	25	42	53 *	60 *	66 *	71 *	75 *
-75.0	0	1	5	11	18	24	28	32	35	38
-85.0	0	0	1	1	3	3	4	4	5	5
-90.0	0	0	0	0	0	0	0	0	0	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510782.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	5	5	6	6	6	6	6	6	6	6
75.0	39	41	42	43	44	44	44	44	45	45
65.0	78 *	79 *	80 *	81 *	82 *	82 *	83 *	83 *	83 *	83 *
55.0	125 *	128 *	130 *	131 *	132 *	133 *	133 *	133 *	133 *	133 *
47.5	186 *	192 *	196 *	200 *	202 *	204 *	206 *	207 *	207 *	208 *
42.5	238 *	247 *	255 *	260 *	263 *	267 *	270 *	272 *	274 *	275 *
37.5	288 *	302 *	314 *	322 *	328 *	333 *	337 *	340 *	344 *	346 *
33.0	326 *	344 *	359 *	370 *	378 *	384 *	389 *	394 *	398 *	400 *
29.0	349 *	369 *	387 *	399 *	408 *	416 *	422 *	428 *	433 *	435 *
25.5	360 *	381 *	400 *	415 *	424 *	433 *	440 *	446 *	451 *	455 *
22.5	363 *	385 *	405 *	420 *	430 *	440 *	447 *	453 *	458 *	462 *
19.5	361 *	384 *	404 *	419 *	430 *	439 *	448 *	453 *	459 *	463 *
17.0	356 *	380 *	400 *	415 *	426 *	435 *	444 *	450 *	455 *	460 *
15.0	351 *	374 *	395 *	410 *	421 *	431 *	439 *	446 *	451 *	455 *
13.0	345 *	367 *	388 *	403 *	414 *	425 *	434 *	440 *	446 *	450 *
11.0	340 *	361 *	382 *	397 *	408 *	418 *	427 *	434 *	440 *	444 *
9.0	335 *	355 *	375 *	390 *	402 *	411 *	420 *	428 *	433 *	438 *
7.0	329 *	350 *	369 *	384 *	395 *	405 *	414 *	421 *	427 *	431 *
5.0	325 *	346 *	366 *	380 *	390 *	400 *	408 *	416 *	422 *	427 *
3.0	322 *	342 *	362 *	376 *	387 *	397 *	406 *	413 *	417 *	422 *
1.0	319 *	340 *	359 *	374 *	384 *	394 *	403 *	410 *	416 *	421 *
0.0	318 *	339 *	357 *	373 *	383 *	393 *	401 *	408 *	414 *	418 *
-1.0	319 *	340 *	359 *	374 *	384 *	394 *	403 *	410 *	416 *	421 *
-3.0	322 *	342 *	362 *	376 *	387 *	397 *	406 *	413 *	417 *	422 *
-5.0	325 *	346 *	366 *	380 *	390 *	400 *	408 *	416 *	422 *	427 *
-7.0	329 *	350 *	369 *	384 *	395 *	405 *	414 *	421 *	427 *	431 *
-9.0	335 *	355 *	375 *	390 *	402 *	411 *	420 *	428 *	433 *	438 *
-11.0	340 *	361 *	382 *	397 *	408 *	418 *	427 *	434 *	440 *	444 *
-13.0	345 *	367 *	388 *	403 *	414 *	425 *	434 *	440 *	446 *	450 *
-15.0	351 *	374 *	395 *	410 *	421 *	431 *	439 *	446 *	451 *	455 *
-17.0	356 *	380 *	400 *	415 *	426 *	435 *	444 *	450 *	455 *	460 *
-19.5	361 *	384 *	404 *	419 *	430 *	439 *	448 *	453 *	459 *	463 *
-22.5	363 *	385 *	405 *	420 *	430 *	440 *	447 *	453 *	458 *	462 *
-25.5	360 *	381 *	400 *	415 *	424 *	433 *	440 *	446 *	451 *	455 *
-29.0	349 *	369 *	387 *	399 *	408 *	416 *	422 *	428 *	433 *	435 *
-33.0	326 *	344 *	359 *	370 *	378 *	384 *	389 *	394 *	398 *	400 *
-37.5	288 *	302 *	314 *	322 *	328 *	333 *	337 *	340 *	344 *	346 *
-42.5	238 *	247 *	255 *	260 *	263 *	267 *	270 *	272 *	274 *	275 *
-47.5	186 *	192 *	196 *	200 *	202 *	204 *	206 *	207 *	207 *	208 *
-55.0	125 *	128 *	130 *	131 *	132 *	133 *	133 *	133 *	133 *	133 *
-65.0	78 *	79 *	80 *	81 *	82 *	82 *	83 *	83 *	83 *	83 *
-75.0	39	41	42	43	44	44	44	44	45	45
-85.0	5	5	6	6	6	6	6	6	6	6
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	6	6	6	6	6	6	6	6	6	6
75.0	45	45	45	45	45	45	45	44	44	44
65.0	83 *	83 *	83 *	83 *	83 *	83 *	83 *	83 *	83 *	82 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510782.IES

CANDELA TABULATION - (Cont.)

55.0	134 *	134 *	134 *	134 *	134 *	133 *	133 *	133 *	133 *	133 *
47.5	209 *	208 *	208 *	208 *	209 *	208 *	207 *	207 *	206 *	204 *
42.5	277 *	276 *	276 *	276 *	277 *	275 *	274 *	272 *	270 *	267 *
37.5	348 *	349 *	349 *	349 *	348 *	346 *	344 *	340 *	337 *	333 *
33.0	402 *	403 *	404 *	403 *	402 *	400 *	398 *	394 *	389 *	384 *
29.0	437 *	439 *	440 *	439 *	437 *	435 *	433 *	428 *	422 *	416 *
25.5	457 *	459 *	460 *	459 *	457 *	455 *	451 *	446 *	440 *	433 *
22.5	465 *	466 *	467 *	466 *	465 *	462 *	458 *	453 *	447 *	440 *
19.5	466 *	468 *	469 *	468 *	466 *	463 *	459 *	453 *	448 *	439 *
17.0	462 *	465 *	466 *	465 *	462 *	460 *	455 *	450 *	444 *	435 *
15.0	458 *	460 *	461 *	460 *	458 *	455 *	451 *	446 *	439 *	431 *
13.0	452 *	455 *	455 *	455 *	452 *	450 *	446 *	440 *	434 *	425 *
11.0	446 *	449 *	449 *	449 *	446 *	444 *	440 *	434 *	427 *	418 *
9.0	440 *	443 *	443 *	443 *	440 *	438 *	433 *	428 *	420 *	411 *
7.0	435 *	436 *	437 *	436 *	435 *	431 *	427 *	421 *	414 *	405 *
5.0	430 *	431 *	431 *	431 *	430 *	427 *	422 *	416 *	408 *	400 *
3.0	426 *	428 *	429 *	428 *	426 *	422 *	417 *	413 *	406 *	397 *
1.0	424 *	426 *	427 *	426 *	424 *	421 *	416 *	410 *	403 *	394 *
0.0	422 *	425 *	426 *	425 *	422 *	418 *	414 *	408 *	401 *	393 *
-1.0	424 *	426 *	427 *	426 *	424 *	421 *	416 *	410 *	403 *	394 *
-3.0	426 *	428 *	429 *	428 *	426 *	422 *	417 *	413 *	406 *	397 *
-5.0	430 *	431 *	431 *	431 *	430 *	427 *	422 *	416 *	408 *	400 *
-7.0	435 *	436 *	437 *	436 *	435 *	431 *	427 *	421 *	414 *	405 *
-9.0	440 *	443 *	443 *	443 *	440 *	438 *	433 *	428 *	420 *	411 *
-11.0	446 *	449 *	449 *	449 *	446 *	444 *	440 *	434 *	427 *	418 *
-13.0	452 *	455 *	455 *	455 *	452 *	450 *	446 *	440 *	434 *	425 *
-15.0	458 *	460 *	461 *	460 *	458 *	455 *	451 *	446 *	439 *	431 *
-17.0	462 *	465 *	466 *	465 *	462 *	460 *	455 *	450 *	444 *	435 *
-19.5	466 *	468 *	469 *	468 *	466 *	463 *	459 *	453 *	448 *	439 *
-22.5	465 *	466 *	467 *	466 *	465 *	462 *	458 *	453 *	447 *	440 *
-25.5	457 *	459 *	460 *	459 *	457 *	455 *	451 *	446 *	440 *	433 *
-29.0	437 *	439 *	440 *	439 *	437 *	435 *	433 *	428 *	422 *	416 *
-33.0	402 *	403 *	404 *	403 *	402 *	400 *	398 *	394 *	389 *	384 *
-37.5	348 *	349 *	349 *	349 *	348 *	346 *	344 *	340 *	337 *	333 *
-42.5	277 *	276 *	276 *	276 *	277 *	275 *	274 *	272 *	270 *	267 *
-47.5	209 *	208 *	208 *	208 *	209 *	208 *	207 *	207 *	206 *	204 *
-55.0	134 *	134 *	134 *	134 *	134 *	133 *	133 *	133 *	133 *	133 *
-65.0	83 *	83 *	83 *	83 *	83 *	83 *	83 *	83 *	83 *	82 *
-75.0	45	45	45	45	45	45	45	44	44	44
-85.0	6	6	6	6	6	6	6	6	6	6
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Horizontal Angles
Angles

	15.0	17.0	19.5	22.5	25.5	29.0	33.0	37.5	42.5	47.5
90.0	0	0	0	0	0	0	0	0	0	0
85.0	6	6	6	5	5	5	5	4	4	3
75.0	44	43	42	41	39	38	35	32	28	24
65.0	82 *	81 *	80 *	79 *	78 *	75 *	71 *	66 *	60 *	53 *
55.0	132 *	131 *	130 *	128 *	125 *	121 *	116 *	108 *	97 *	86 *
47.5	202 *	200 *	196 *	192 *	186 *	177 *	165 *	150 *	131 *	112 *
42.5	263 *	260 *	255 *	247 *	238 *	223 *	205 *	182 *	156 *	130 *
37.5	328 *	322 *	314 *	302 *	288 *	269 *	244 *	214 *	178 *	148 *
33.0	378 *	370 *	359 *	344 *	326 *	303 *	273 *	236 *	195 *	159 *
29.0	408 *	399 *	387 *	369 *	349 *	323 *	288 *	249 *	206 *	168 *
25.5	424 *	415 *	400 *	381 *	360 *	331 *	296 *	256 *	211 *	173 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510782.IES

CANDELA TABULATION - (Cont.)

22.5	430 *	420 *	405 *	385 *	363 *	334 *	298 *	257 *	214 *	176 *
19.5	430 *	419 *	404 *	384 *	361 *	332 *	296 *	255 *	213 *	176 *
17.0	426 *	415 *	400 *	380 *	356 *	327 *	292 *	253 *	212 *	175 *
15.0	421 *	410 *	395 *	374 *	351 *	322 *	288 *	250 *	211 *	175 *
13.0	414 *	403 *	388 *	367 *	345 *	317 *	284 *	247 *	209 *	175 *
11.0	408 *	397 *	382 *	361 *	340 *	312 *	280 *	244 *	207 *	174 *
9.0	402 *	390 *	375 *	355 *	335 *	307 *	276 *	241 *	205 *	173 *
7.0	395 *	384 *	369 *	350 *	329 *	303 *	272 *	239 *	204 *	173 *
5.0	390 *	380 *	366 *	346 *	325 *	299 *	270 *	237 *	203 *	172 *
3.0	387 *	376 *	362 *	342 *	322 *	296 *	267 *	235 *	203 *	172 *
1.0	384 *	374 *	359 *	340 *	319 *	294 *	266 *	234 *	201 *	171 *
0.0	383 *	373 *	357 *	339 *	318 *	294 *	265 *	233 *	200 *	171 *
-1.0	384 *	374 *	359 *	340 *	319 *	294 *	266 *	234 *	201 *	171 *
-3.0	387 *	376 *	362 *	342 *	322 *	296 *	267 *	235 *	203 *	172 *
-5.0	390 *	380 *	366 *	346 *	325 *	299 *	270 *	237 *	203 *	172 *
-7.0	395 *	384 *	369 *	350 *	329 *	303 *	272 *	239 *	204 *	173 *
-9.0	402 *	390 *	375 *	355 *	335 *	307 *	276 *	241 *	205 *	173 *
-11.0	408 *	397 *	382 *	361 *	340 *	312 *	280 *	244 *	207 *	174 *
-13.0	414 *	403 *	388 *	367 *	345 *	317 *	284 *	247 *	209 *	175 *
-15.0	421 *	410 *	395 *	374 *	351 *	322 *	288 *	250 *	211 *	175 *
-17.0	426 *	415 *	400 *	380 *	356 *	327 *	292 *	253 *	212 *	175 *
-19.5	430 *	419 *	404 *	384 *	361 *	332 *	296 *	255 *	213 *	176 *
-22.5	430 *	420 *	405 *	385 *	363 *	334 *	298 *	257 *	214 *	176 *
-25.5	424 *	415 *	400 *	381 *	360 *	331 *	296 *	256 *	211 *	173 *
-29.0	408 *	399 *	387 *	369 *	349 *	323 *	288 *	249 *	206 *	168 *
-33.0	378 *	370 *	359 *	344 *	326 *	303 *	273 *	236 *	195 *	159 *
-37.5	328 *	322 *	314 *	302 *	288 *	269 *	244 *	214 *	178 *	148 *
-42.5	263 *	260 *	255 *	247 *	238 *	223 *	205 *	182 *	156 *	130 *
-47.5	202 *	200 *	196 *	192 *	186 *	177 *	165 *	150 *	131 *	112 *
-55.0	132 *	131 *	130 *	128 *	125 *	121 *	116 *	108 *	97 *	86 *
-65.0	82 *	81 *	80 *	79 *	78 *	75 *	71 *	66 *	60 *	53 *
-75.0	44	43	42	41	39	38	35	32	28	24
-85.0	6	6	6	5	5	5	5	4	4	3
-90.0	0	0	0	0	0	0	0	0	0	0


Vert. Angles	Horizontal Angles				
	<u>55.0</u>	<u>65.0</u>	<u>75.0</u>	<u>85.0</u>	<u>90.0</u>
90.0	0	0	0	0	0
85.0	3	1	1	0	0
75.0	18	11	5	1	0
65.0	42	25	11	2	0
55.0	66 *	42	18	3	0
47.5	87 *	55 *	24	4	0
42.5	98 *	62 *	29	5	0
37.5	109 *	70 *	33	5	0
33.0	117 *	76 *	36	6	0
29.0	123 *	80 *	39	6	0
25.5	127 *	83 *	41	6	0
22.5	130 *	85 *	42	7	0
19.5	132 *	87 *	44	7	0
17.0	133 *	89 *	45	7	0
15.0	134 *	90 *	45	7	0
13.0	134 *	91 *	46	7	0
11.0	134 *	92 *	46	8	0
9.0	134 *	92 *	47 *	8	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510782.IES

CANDELA TABULATION - (Cont.)


7.0	134 *	92 *	47 *	8	0
5.0	134 *	93 *	47 *	8	0
3.0	134 *	93 *	47 *	8	0
1.0	134 *	92 *	47 *	8	0
0.0	134 *	92 *	47 *	8	0
-1.0	134 *	92 *	47 *	8	0
-3.0	134 *	93 *	47 *	8	0
-5.0	134 *	93 *	47 *	8	0
-7.0	134 *	92 *	47 *	8	0
-9.0	134 *	92 *	47 *	8	0
-11.0	134 *	92 *	46	8	0
-13.0	134 *	91 *	46	7	0
-15.0	134 *	90 *	45	7	0
-17.0	133 *	89 *	45	7	0
-19.5	132 *	87 *	44	7	0
-22.5	130 *	85 *	42	7	0
-25.5	127 *	83 *	41	6	0
-29.0	123 *	80 *	39	6	0
-33.0	117 *	76 *	36	6	0
-37.5	109 *	70 *	33	5	0
-42.5	98 *	62 *	29	5	0
-47.5	87 *	55 *	24	4	0
-55.0	66 *	42	18	3	0
-65.0	42	25	11	2	0
-75.0	18	11	5	1	0
-85.0	3	1	1	0	0
-90.0	0	0	0	0	0

AXIAL CANDELA DISPLAY



Maximum Candela = 469 Located At Horizontal Angle = 0, Vertical Angle = -19.5
H - Horizontal Axial Candela
V - Vertical Axial Candela

ISOCANDELA CURVES



Maximum Candela = 469 Located At Horizontal Angle = 0, Vertical Angle = -19.5
50% Maximum Candela = 234.5
10% Maximum Candela = 46.9