



8165 E. Kaiser Blvd. Anaheim, CA 92808

www.lightlaboratory.com

Photometric Test Report

IES FLOOD REPORT

PHOTOMETRIC FILENAME : L052510715.IES

DESCRIPTIVE INFORMATION (From Photometric File)

IESNA:LM-63-2002

[TEST] L052510715

[TESTLAB] LIGHT LABORATORY, INC. (www.lightlaboratory.com)

[ISSUE DATE] 6/5/2025

[MANUFAC] Vista Professional Outdoor Lighting

[LUMCAT] 1051-WW-RGBW-(B)

[LUMINAIRE] 1051 Wall Wash Blue Output

[BALLASTCAT] ELDOLED PW50U-M4Z0X1

[OTHER] INDICATING THE CANDELA VALUES ARE ABSOLUTE AND

[MORE] SHOULD NOT BE FACTORED FOR DIFFERENT LAMP RATINGS.

[MORE] Base file 80239581-39

[INPUT] 120VAC

[TEST PROCEDURE] IESNA:LM-79-19

Note: Candela values converted from Type-C to Type-B

CHARACTERISTICS

NEMA Type	7 H x 7 V
Maximum Candela	91
Maximum Candela Angle	-3H 25.5V
Horizontal Beam Angle (50%)	83.5
Vertical Beam Angle (50%)	53.8
Horizontal Field Angle (10%)	135.4
Vertical Field Angle (10%)	140.6
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	67
Beam Efficiency	N.A.
Field Lumens	151
Field Efficiency	N.A.
Spill Lumens	7
Luminaire Lumens	157
Total Efficiency	N.A.
Total Luminaire Watts	11.89
Ballast Factor	1.00

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510715.IES

AXIAL CANDELA

DEG.	HOR.	DEG.	VERT.
90	0	90	0
85	0	85	1
75	5	75	8
65	13	65	24
55	20	55	41
47.5	25	47.5	53
42.5	29	42.5	62
37.5	32	37.5	73
33	36	33	83
29	38	29	89
25.5	41	25.5	91
22.5	42	22.5	90
19.5	44	19.5	86
17	45	17	82
15	46	15	78
13	47	13	74
11	48	11	70
9	48	9	66
7	49	7	62
5	49	5	58
3	49	3	53
1	49	1	50
0	49	0	49
-1	49	-1	47
-3	49	-3	42
-5	49	-5	40
-7	49	-7	38
-9	48	-9	36
-11	48	-11	35
-13	47	-13	34
-15	46	-15	33
-17	45	-17	32
-19.5	44	-19.5	32
-22.5	42	-22.5	32
-25.5	41	-25.5	32
-29	38	-29	33
-33	36	-33	33
-37.5	32	-37.5	32
-42.5	29	-42.5	30
-47.5	25	-47.5	26
-55	20	-55	19
-65	13	-65	9
-75	5	-75	3
-85	0	-85	0
-90	0	-90	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510715.IES

CANDELA TABULATION

Maximum Candela = 91

Beam Edge = 45.5 Cd (50% of Max.)

Field Edge = 9.1 Cd (10% of Max.)

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>-90.0</u>	<u>-85.0</u>	<u>-75.0</u>	<u>-65.0</u>	<u>-55.0</u>	<u>-47.5</u>	<u>-42.5</u>	<u>-37.5</u>	<u>-33.0</u>	<u>-29.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	0	0	0	0	0	0	1	1	1
75.0	0	0	0	1	3	4	6	6	7	8
65.0	0	0	1	4	9	13 *	15 *	16 *	18 *	20 *
55.0	0	0	1	6	16 *	22 *	26 *	29 *	31 *	33 *
47.5	0	0	2	8	20 *	30 *	35 *	39 *	42 *	45 *
42.5	0	0	2	9	21 *	34 *	41 *	46 *	50 *	53 *
37.5	0	0	3	10 *	22 *	36 *	44 *	52 *	57 *	61 *
33.0	0	0	3	10 *	22 *	36 *	46 *	55 *	63 *	67 *
29.0	0	0	3	11 *	22 *	36 *	46 *	55 *	63 *	69 *
25.5	0	0	4	11 *	22 *	35 *	44 *	54 *	62 *	69 *
22.5	0	0	4	11 *	22 *	34 *	42 *	51 *	59 *	66 *
19.5	0	0	4	12 *	22 *	32 *	40 *	49 *	56 *	63 *
17.0	0	0	4	12 *	21 *	30 *	38 *	47 *	54 *	60 *
15.0	0	0	5	12 *	21 *	30 *	37 *	45 *	51 *	57 *
13.0	0	0	5	12 *	21 *	29 *	36 *	43 *	49 *	54 *
11.0	0	0	5	12 *	20 *	28 *	34 *	41 *	47 *	52 *
9.0	0	0	5	12 *	20 *	28 *	33 *	39 *	44 *	49 *
7.0	0	0	5	12 *	20 *	27 *	32 *	37 *	42 *	47 *
5.0	0	0	5	12 *	20 *	27 *	31 *	36 *	40 *	44 *
3.0	0	0	5	13 *	20 *	26 *	30 *	34 *	38 *	41 *
1.0	0	0	5	13 *	20 *	25 *	29 *	33 *	36 *	39 *
0.0	0	0	5	13 *	20 *	25 *	29 *	32 *	36 *	38 *
-1.0	0	0	5	13 *	20 *	25 *	29 *	32 *	35 *	37 *
-3.0	0	0	5	13 *	20 *	25 *	28 *	31 *	33 *	35 *
-5.0	0	0	5	13 *	20 *	25 *	28 *	31 *	32 *	34 *
-7.0	0	0	5	13 *	20 *	25 *	28 *	30 *	32 *	33 *
-9.0	0	0	5	13 *	20 *	25 *	27 *	30 *	31 *	32 *
-11.0	0	0	5	13 *	20 *	25 *	27 *	29 *	31 *	32 *
-13.0	0	0	5	13 *	20 *	25 *	27 *	29 *	30 *	31 *
-15.0	0	0	5	13 *	20 *	25 *	27 *	29 *	30 *	31 *
-17.0	0	0	5	13 *	20 *	25 *	27 *	29 *	30 *	31 *
-19.5	0	0	5	13 *	20 *	25 *	27 *	28 *	30 *	30 *
-22.5	0	0	5	12 *	20 *	24 *	27 *	28 *	29 *	31 *
-25.5	0	0	5	12 *	20 *	24 *	27 *	29 *	30 *	31 *
-29.0	0	0	4	12 *	19 *	24 *	27 *	29 *	30 *	31 *
-33.0	0	0	4	11 *	19 *	24 *	26 *	29 *	30 *	31 *
-37.5	0	0	4	11 *	18 *	22 *	25 *	27 *	29 *	30 *
-42.5	0	0	3	10 *	16 *	20 *	22 *	25 *	26 *	27 *
-47.5	0	0	3	8	14 *	18 *	20 *	21 *	23 *	23 *
-55.0	0	0	2	6	10 *	13 *	15 *	16 *	17 *	18 *
-65.0	0	0	1	3	6	7	9	9	10 *	10 *
-75.0	0	0	0	2	2	3	3	3	3	3
-85.0	0	0	0	0	0	0	0	0	0	0
-90.0	0	0	0	0	0	0	0	0	0	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510715.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	1	1	1	1	1	1	0	0	0	0
75.0	7	8	8	8	8	8	8	8	8	8
65.0	21 *	22 *	22 *	22 *	23 *	23 *	23 *	23 *	23 *	23 *
55.0	35 *	36 *	37 *	37 *	38 *	38 *	39 *	39 *	40 *	40 *
47.5	47 *	48 *	49 *	50 *	50 *	51 *	51 *	51 *	51 *	52 *
42.5	55 *	57 *	58 *	59 *	59 *	60 *	61 *	61 *	61 *	61 *
37.5	64 *	66 *	68 *	69 *	70 *	70 *	71 *	71 *	72 *	72 *
33.0	71 *	73 *	76 *	77 *	78 *	79 *	80 *	81 *	81 *	81 *
29.0	74 *	77 *	80 *	83 *	84 *	85 *	86 *	88 *	88 *	88 *
25.5	73 *	77 *	81 *	84 *	85 *	87 *	88 *	89 *	90 *	90 *
22.5	71 *	75 *	79 *	82 *	84 *	86 *	87 *	88 *	89 *	90 *
19.5	68 *	72 *	76 *	78 *	80 *	82 *	84 *	85 *	86 *	86 *
17.0	65 *	68 *	72 *	75 *	76 *	78 *	80 *	81 *	82 *	82 *
15.0	62 *	66 *	69 *	71 *	73 *	75 *	76 *	77 *	78 *	79 *
13.0	59 *	63 *	66 *	68 *	70 *	71 *	73 *	74 *	74 *	75 *
11.0	56 *	60 *	63 *	65 *	66 *	67 *	68 *	70 *	71 *	71 *
9.0	53 *	57 *	59 *	61 *	62 *	64 *	65 *	66 *	67 *	67 *
7.0	50 *	53 *	55 *	57 *	59 *	60 *	61 *	62 *	63 *	63 *
5.0	47 *	49 *	52 *	54 *	55 *	56 *	57 *	58 *	58 *	58 *
3.0	44 *	46 *	48 *	50 *	51 *	52 *	53 *	54 *	54 *	55 *
1.0	42 *	43 *	45 *	46 *	47 *	49 *	50 *	50 *	51 *	51 *
0.0	41 *	42 *	44 *	45 *	46 *	47 *	48 *	48 *	49 *	49 *
-1.0	39 *	41 *	43 *	44 *	45 *	45 *	46 *	47 *	47 *	48 *
-3.0	37 *	39 *	40 *	40 *	41 *	42 *	43 *	43 *	43 *	43 *
-5.0	36 *	36 *	37 *	38 *	39 *	40 *	40 *	40 *	40 *	41 *
-7.0	34 *	35 *	36 *	36 *	37 *	37 *	37 *	37 *	37 *	38 *
-9.0	33 *	34 *	35 *	35 *	35 *	36 *	36 *	36 *	36 *	36 *
-11.0	33 *	33 *	33 *	34 *	34 *	34 *	35 *	34 *	35 *	35 *
-13.0	32 *	33 *	33 *	33 *	33 *	34 *	34 *	34 *	34 *	34 *
-15.0	31 *	32 *	32 *	33 *	33 *	33 *	33 *	33 *	33 *	33 *
-17.0	31 *	32 *	32 *	32 *	32 *	32 *	33 *	32 *	33 *	33 *
-19.5	31 *	31 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-22.5	31 *	31 *	31 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-25.5	31 *	31 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-29.0	31 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-33.0	32 *	32 *	32 *	33 *	33 *	33 *	33 *	33 *	33 *	33 *
-37.5	31 *	32 *	31 *	32 *	32 *	32 *	32 *	33 *	32 *	32 *
-42.5	27 *	28 *	29 *	29 *	29 *	29 *	29 *	29 *	30 *	30 *
-47.5	24 *	25 *	25 *	25 *	26 *	26 *	26 *	26 *	26 *	26 *
-55.0	18 *	18 *	19 *	19 *	19 *	19 *	19 *	20 *	20 *	20 *
-65.0	10 *	10 *	10 *	10 *	10 *	9	10 *	10 *	10 *	10 *
-75.0	3	3	3	3	3	3	3	3	3	3
-85.0	0	0	0	0	0	0	0	0	0	0
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	1	1	1	0	0	0	0	0	1
75.0	8	8	8	8	8	8	8	8	8	8
65.0	23 *	24 *	24 *	24 *	23 *	23 *	23 *	23 *	23 *	23 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510715.IES

CANDELA TABULATION - (Cont.)

55.0	40 *	41 *	41 *	41 *	40 *	40 *	40 *	39 *	39 *	38 *
47.5	52 *	53 *	53 *	53 *	52 *	52 *	51 *	51 *	51 *	51 *
42.5	61 *	62 *	62 *	62 *	61 *	61 *	61 *	61 *	61 *	60 *
37.5	72 *	73 *	73 *	73 *	72 *	72 *	72 *	71 *	71 *	70 *
33.0	82 *	82 *	83 *	82 *	82 *	81 *	81 *	81 *	80 *	79 *
29.0	89 *	89 *	89 *	89 *	89 *	88 *	88 *	88 *	86 *	85 *
25.5	91 *	91 *	91 *	91 *	91 *	90 *	90 *	89 *	88 *	87 *
22.5	90 *	91 *	90 *	91 *	90 *	90 *	89 *	88 *	87 *	86 *
19.5	87 *	87 *	86 *	87 *	87 *	86 *	86 *	85 *	84 *	82 *
17.0	83 *	83 *	82 *	83 *	83 *	82 *	82 *	81 *	80 *	78 *
15.0	79 *	79 *	78 *	79 *	79 *	79 *	78 *	77 *	76 *	75 *
13.0	75 *	76 *	74 *	76 *	75 *	75 *	74 *	74 *	73 *	71 *
11.0	71 *	72 *	70 *	72 *	71 *	71 *	71 *	70 *	68 *	67 *
9.0	67 *	68 *	66 *	68 *	67 *	67 *	67 *	66 *	65 *	64 *
7.0	63 *	63 *	62 *	63 *	63 *	63 *	63 *	62 *	61 *	60 *
5.0	59 *	59 *	58 *	59 *	59 *	58 *	58 *	58 *	57 *	56 *
3.0	55 *	54 *	53 *	54 *	55 *	55 *	54 *	54 *	53 *	52 *
1.0	51 *	51 *	50 *	51 *	51 *	51 *	51 *	50 *	50 *	49 *
0.0	49 *	49 *	49 *	49 *	49 *	49 *	49 *	48 *	48 *	47 *
-1.0	48 *	47 *	47 *	47 *	48 *	48 *	47 *	47 *	46 *	45 *
-3.0	44 *	44 *	42 *	44 *	44 *	43 *	43 *	43 *	43 *	42 *
-5.0	40 *	41 *	40 *	41 *	40 *	41 *	40 *	40 *	40 *	40 *
-7.0	38 *	38 *	38 *	38 *	38 *	38 *	37 *	37 *	37 *	37 *
-9.0	36 *	36 *	36 *	36 *	36 *	36 *	36 *	36 *	36 *	36 *
-11.0	35 *	35 *	35 *	35 *	35 *	35 *	35 *	34 *	35 *	34 *
-13.0	34 *	34 *	34 *	34 *	34 *	34 *	34 *	34 *	34 *	34 *
-15.0	33 *	33 *	33 *	33 *	33 *	33 *	33 *	33 *	33 *	33 *
-17.0	33 *	33 *	32 *	33 *	33 *	33 *	33 *	32 *	33 *	32 *
-19.5	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-22.5	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-25.5	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-29.0	32 *	32 *	33 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-33.0	33 *	33 *	33 *	33 *	33 *	33 *	33 *	33 *	33 *	33 *
-37.5	32 *	32 *	32 *	32 *	32 *	32 *	32 *	33 *	32 *	32 *
-42.5	30 *	30 *	30 *	30 *	30 *	30 *	30 *	29 *	29 *	29 *
-47.5	26 *	26 *	26 *	26 *	26 *	26 *	26 *	26 *	26 *	26 *
-55.0	20 *	19 *	19 *	19 *	20 *	20 *	20 *	20 *	19 *	19 *
-65.0	10 *	9	9	9	10 *	10 *	10 *	10 *	10 *	9
-75.0	3	3	3	3	3	3	3	3	3	3
-85.0	0	0	0	0	0	0	0	0	0	0
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Horizontal Angles
Angles

	<u>15.0</u>	<u>17.0</u>	<u>19.5</u>	<u>22.5</u>	<u>25.5</u>	<u>29.0</u>	<u>33.0</u>	<u>37.5</u>	<u>42.5</u>	<u>47.5</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	1	1	1	1	1	1	1	1	0	0
75.0	8	8	8	8	7	8	7	6	6	4
65.0	23 *	22 *	22 *	22 *	21 *	20 *	18 *	16 *	15 *	13 *
55.0	38 *	37 *	37 *	36 *	35 *	33 *	31 *	29 *	26 *	22 *
47.5	50 *	50 *	49 *	48 *	47 *	45 *	42 *	39 *	35 *	30 *
42.5	59 *	59 *	58 *	57 *	55 *	53 *	50 *	46 *	41 *	34 *
37.5	70 *	69 *	68 *	66 *	64 *	61 *	57 *	52 *	44 *	36 *
33.0	78 *	77 *	76 *	73 *	71 *	67 *	63 *	55 *	46 *	36 *
29.0	84 *	83 *	80 *	77 *	74 *	69 *	63 *	55 *	46 *	36 *
25.5	85 *	84 *	81 *	77 *	73 *	69 *	62 *	54 *	44 *	35 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510715.IES

CANDELA TABULATION - (Cont.)

22.5	84 *	82 *	79 *	75 *	71 *	66 *	59 *	51 *	42 *	34 *
19.5	80 *	78 *	76 *	72 *	68 *	63 *	56 *	49 *	40 *	32 *
17.0	76 *	75 *	72 *	68 *	65 *	60 *	54 *	47 *	38 *	30 *
15.0	73 *	71 *	69 *	66 *	62 *	57 *	51 *	45 *	37 *	30 *
13.0	70 *	68 *	66 *	63 *	59 *	54 *	49 *	43 *	36 *	29 *
11.0	66 *	65 *	63 *	60 *	56 *	52 *	47 *	41 *	34 *	28 *
9.0	62 *	61 *	59 *	57 *	53 *	49 *	44 *	39 *	33 *	28 *
7.0	59 *	57 *	55 *	53 *	50 *	47 *	42 *	37 *	32 *	27 *
5.0	55 *	54 *	52 *	49 *	47 *	44 *	40 *	36 *	31 *	27 *
3.0	51 *	50 *	48 *	46 *	44 *	41 *	38 *	34 *	30 *	26 *
1.0	47 *	46 *	45 *	43 *	42 *	39 *	36 *	33 *	29 *	25 *
0.0	46 *	45 *	44 *	42 *	41 *	38 *	36 *	32 *	29 *	25 *
-1.0	45 *	44 *	43 *	41 *	39 *	37 *	35 *	32 *	29 *	25 *
-3.0	41 *	40 *	40 *	39 *	37 *	35 *	33 *	31 *	28 *	25 *
-5.0	39 *	38 *	37 *	36 *	36 *	34 *	32 *	31 *	28 *	25 *
-7.0	37 *	36 *	36 *	35 *	34 *	33 *	32 *	30 *	28 *	25 *
-9.0	35 *	35 *	35 *	34 *	33 *	32 *	31 *	30 *	27 *	25 *
-11.0	34 *	34 *	33 *	33 *	33 *	32 *	31 *	29 *	27 *	25 *
-13.0	33 *	33 *	33 *	33 *	32 *	31 *	30 *	29 *	27 *	25 *
-15.0	33 *	33 *	32 *	32 *	31 *	31 *	30 *	29 *	27 *	25 *
-17.0	32 *	32 *	32 *	32 *	31 *	31 *	30 *	29 *	27 *	25 *
-19.5	32 *	32 *	32 *	31 *	31 *	30 *	30 *	28 *	27 *	25 *
-22.5	32 *	32 *	31 *	31 *	31 *	31 *	29 *	28 *	27 *	24 *
-25.5	32 *	32 *	32 *	31 *	31 *	31 *	30 *	29 *	27 *	24 *
-29.0	32 *	32 *	32 *	32 *	31 *	31 *	30 *	29 *	27 *	24 *
-33.0	33 *	33 *	32 *	32 *	32 *	31 *	30 *	29 *	26 *	24 *
-37.5	32 *	32 *	31 *	32 *	31 *	30 *	29 *	27 *	25 *	22 *
-42.5	29 *	29 *	29 *	28 *	27 *	27 *	26 *	25 *	22 *	20 *
-47.5	26 *	25 *	25 *	25 *	24 *	23 *	23 *	21 *	20 *	18 *
-55.0	19 *	19 *	19 *	18 *	18 *	18 *	17 *	16 *	15 *	13 *
-65.0	10 *	10 *	10 *	10 *	10 *	10 *	10 *	9	9	7
-75.0	3	3	3	3	3	3	3	3	3	3
-85.0	0	0	0	0	0	0	0	0	0	0
-90.0	0	0	0	0	0	0	0	0	0	0


Vert. Angles	Horizontal Angles				
	<u>55.0</u>	<u>65.0</u>	<u>75.0</u>	<u>85.0</u>	<u>90.0</u>
90.0	0	0	0	0	0
85.0	0	0	0	0	0
75.0	3	1	0	0	0
65.0	9	4	1	0	0
55.0	16 *	6	1	0	0
47.5	20 *	8	2	0	0
42.5	21 *	9	2	0	0
37.5	22 *	10 *	3	0	0
33.0	22 *	10 *	3	0	0
29.0	22 *	11 *	3	0	0
25.5	22 *	11 *	4	0	0
22.5	22 *	11 *	4	0	0
19.5	22 *	12 *	4	0	0
17.0	21 *	12 *	4	0	0
15.0	21 *	12 *	5	0	0
13.0	21 *	12 *	5	0	0
11.0	20 *	12 *	5	0	0
9.0	20 *	12 *	5	0	0

IES FLOOD REPORT
 PHOTOMETRIC FILENAME : L052510715.IES

CANDELA TABULATION - (Cont.)

7.0	20 *	12 *	5	0	0
5.0	20 *	12 *	5	0	0
3.0	20 *	13 *	5	0	0
1.0	20 *	13 *	5	0	0
0.0	20 *	13 *	5	0	0
-1.0	20 *	13 *	5	0	0
-3.0	20 *	13 *	5	0	0
-5.0	20 *	13 *	5	0	0
-7.0	20 *	13 *	5	0	0
-9.0	20 *	13 *	5	0	0
-11.0	20 *	13 *	5	0	0
-13.0	20 *	13 *	5	0	0
-15.0	20 *	13 *	5	0	0
-17.0	20 *	13 *	5	0	0
-19.5	20 *	13 *	5	0	0
-22.5	20 *	12 *	5	0	0
-25.5	20 *	12 *	5	0	0
-29.0	19 *	12 *	4	0	0
-33.0	19 *	11 *	4	0	0
-37.5	18 *	11 *	4	0	0
-42.5	16 *	10 *	3	0	0
-47.5	14 *	8	3	0	0
-55.0	10 *	6	2	0	0
-65.0	6	3	1	0	0
-75.0	2	2	0	0	0
-85.0	0	0	0	0	0
-90.0	0	0	0	0	0

AXIAL CANDELA DISPLAY




Maximum Candela = 91 Located At Horizontal Angle = -3, Vertical Angle = 25.5

H - Horizontal Axial Candela

V - Vertical Axial Candela

ISOCANDELA CURVES



Maximum Candela = 91 Located At Horizontal Angle = -3, Vertical Angle = 25.5
50% Maximum Candela = 45.5
10% Maximum Candela = 9.1