



8165 E. Kaiser Blvd. Anaheim, CA 92808

www.lightlaboratory.com

## Photometric Test Report

### IES FLOOD REPORT

PHOTOMETRIC FILENAME : L052510701.IES

### DESCRIPTIVE INFORMATION (From Photometric File)

IESNA:LM-63-2002  
[TEST] L052510701  
[TESTLAB] LIGHT LABORATORY, INC. (www.lightlaboratory.com)  
[ISSUE DATE] 6/5/2025  
[MANUFAC] Vista Professional Outdoor Lighting  
[LUMCAT] 1051-NS-RGBW-(R)  
[LUMINAIRE] 1051 Narrow Spot Red Output  
[BALLASTCAT] ELDOLED PW50U-M4Z0X1  
[OTHER] INDICATING THE CANDELA VALUES ARE ABSOLUTE AND  
[MORE] SHOULD NOT BE FACTORED FOR DIFFERENT LAMP RATINGS.  
[MORE] Base file 80239581-25  
[INPUT] 120VAC  
[TEST PROCEDURE] IESNA:LM-79-19

Note: Candela values converted from Type-C to Type-B

### CHARACTERISTICS

NEMA Type	7 H x 6 V
Maximum Candela	201
Maximum Candela Angle	-5H 0V
Horizontal Beam Angle (50%)	90.6
Vertical Beam Angle (50%)	29.2
Horizontal Field Angle (10%)	138.8
Vertical Field Angle (10%)	122.3
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	91
Beam Efficiency	N.A.
Field Lumens	198
Field Efficiency	N.A.
Spill Lumens	24
Luminaire Lumens	222
Total Efficiency	N.A.
Total Luminaire Watts	8.33
Ballast Factor	1.00

**IES FLOOD REPORT**  
**PHOTOMETRIC FILENAME : L052510701.IES**

**AXIAL CANDELA**

DEG.	HOR.	DEG.	VERT.
90	0	90	0
85	1	85	0
75	10	75	8
65	28	65	17
55	58	55	25
47.5	90	47.5	28
42.5	114	42.5	30
37.5	137	37.5	32
33	155	33	36
29	168	29	42
25.5	178	25.5	48
22.5	184	22.5	57
19.5	190	19.5	70
17	193	17	83
15	195	15	97
13	197	13	115
11	198	11	133
9	199	9	152
7	200	7	170
5	201	5	186
3	201	3	196
1	201	1	200
0	201	0	201
-1	201	-1	200
-3	201	-3	196
-5	201	-5	186
-7	200	-7	170
-9	199	-9	152
-11	198	-11	133
-13	197	-13	115
-15	195	-15	97
-17	193	-17	83
-19.5	190	-19.5	70
-22.5	184	-22.5	57
-25.5	178	-25.5	48
-29	168	-29	42
-33	155	-33	36
-37.5	137	-37.5	32
-42.5	114	-42.5	30
-47.5	90	-47.5	28
-55	58	-55	25
-65	28	-65	17
-75	10	-75	8
-85	1	-85	0
-90	0	-90	0

**IES FLOOD REPORT**  
**PHOTOMETRIC FILENAME : L052510701.IES**

**CANDELA TABULATION**

Maximum Candela = 201

Beam Edge = 100.5 Cd (50% of Max.)

Field Edge = 20.1 Cd (10% of Max.)

\* Indicates Values Inside Field Edge

<b>Vert. Angles</b>	<b>Horizontal Angles</b>									
	<b><u>-90.0</u></b>	<b><u>-85.0</u></b>	<b><u>-75.0</u></b>	<b><u>-65.0</u></b>	<b><u>-55.0</u></b>	<b><u>-47.5</u></b>	<b><u>-42.5</u></b>	<b><u>-37.5</u></b>	<b><u>-33.0</u></b>	<b><u>-29.0</u></b>
<b>90.0</b>	0	0	0	0	0	0	0	0	0	0
<b>85.0</b>	0	0	0	0	0	0	0	0	0	0
<b>75.0</b>	0	0	1	1	1	2	3	4	4	5
<b>65.0</b>	0	0	2	3	5	7	8	10	11	12
<b>55.0</b>	0	0	2	6	9	12	13	16	17	18
<b>47.5</b>	0	0	3	9	13	16	17	19	21 *	22 *
<b>42.5</b>	0	0	4	11	16	19	20	22 *	24 *	25 *
<b>37.5</b>	0	1	5	14	20	23 *	24 *	26 *	27 *	28 *
<b>33.0</b>	0	1	6	16	23 *	27 *	28 *	30 *	31 *	32 *
<b>29.0</b>	0	1	7	18	27 *	32 *	33 *	35 *	36 *	37 *
<b>25.5</b>	0	1	7	19	31 *	37 *	39 *	40 *	42 *	43 *
<b>22.5</b>	0	1	8	21 *	35 *	43 *	45 *	47 *	49 *	50 *
<b>19.5</b>	0	1	8	22 *	39 *	49 *	53 *	56 *	58 *	60 *
<b>17.0</b>	0	1	8	24 *	43 *	55 *	61 *	64 *	68 *	71 *
<b>15.0</b>	0	1	9	24 *	46 *	60 *	67 *	73 *	78 *	82 *
<b>13.0</b>	0	1	9	25 *	48 *	65 *	75 *	83 *	88 *	94 *
<b>11.0</b>	0	1	9	26 *	51 *	71 *	82 *	93 *	101 *	107 *
<b>9.0</b>	0	1	9	26 *	53 *	76 *	90 *	103 *	114 *	122 *
<b>7.0</b>	0	1	9	27 *	55 *	80 *	97 *	114 *	127 *	137 *
<b>5.0</b>	0	1	10	27 *	56 *	85 *	105 *	123 *	139 *	151 *
<b>3.0</b>	0	1	10	28 *	57 *	87 *	109 *	130 *	149 *	162 *
<b>1.0</b>	0	1	10	28 *	58 *	89 *	112 *	135 *	153 *	166 *
<b>0.0</b>	0	1	10	28 *	58 *	90 *	114 *	137 *	155 *	168 *
<b>-1.0</b>	0	1	10	28 *	58 *	89 *	112 *	135 *	153 *	166 *
<b>-3.0</b>	0	1	10	28 *	57 *	87 *	109 *	130 *	149 *	162 *
<b>-5.0</b>	0	1	10	27 *	56 *	85 *	105 *	123 *	139 *	151 *
<b>-7.0</b>	0	1	9	27 *	55 *	80 *	97 *	114 *	127 *	137 *
<b>-9.0</b>	0	1	9	26 *	53 *	76 *	90 *	103 *	114 *	122 *
<b>-11.0</b>	0	1	9	26 *	51 *	71 *	82 *	93 *	101 *	107 *
<b>-13.0</b>	0	1	9	25 *	48 *	65 *	75 *	83 *	88 *	94 *
<b>-15.0</b>	0	1	9	24 *	46 *	60 *	67 *	73 *	78 *	82 *
<b>-17.0</b>	0	1	8	24 *	43 *	55 *	61 *	64 *	68 *	71 *
<b>-19.5</b>	0	1	8	22 *	39 *	49 *	53 *	56 *	58 *	60 *
<b>-22.5</b>	0	1	8	21 *	35 *	43 *	45 *	47 *	49 *	50 *
<b>-25.5</b>	0	1	7	19	31 *	37 *	39 *	40 *	42 *	43 *
<b>-29.0</b>	0	1	7	18	27 *	32 *	33 *	35 *	36 *	37 *
<b>-33.0</b>	0	1	6	16	23 *	27 *	28 *	30 *	31 *	32 *
<b>-37.5</b>	0	1	5	14	20	23 *	24 *	26 *	27 *	28 *
<b>-42.5</b>	0	0	4	11	16	19	20	22 *	24 *	25 *
<b>-47.5</b>	0	0	3	9	13	16	17	19	21 *	22 *
<b>-55.0</b>	0	0	2	6	9	12	13	16	17	18
<b>-65.0</b>	0	0	2	3	5	7	8	10	11	12
<b>-75.0</b>	0	0	1	1	1	2	3	4	4	5
<b>-85.0</b>	0	0	0	0	0	0	0	0	0	0
<b>-90.0</b>	0	0	0	0	0	0	0	0	0	0

IES FLOOD REPORT  
PHOTOMETRIC FILENAME : L052510701.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	0	0	0	0	0	0	0	0	0
75.0	6	6	6	7	7	8	8	8	8	8
65.0	13	14	15	15	16	16	17	17	17	17
55.0	20	21 *	21 *	22 *	23 *	23 *	24 *	24 *	24 *	25 *
47.5	23 *	24 *	25 *	26 *	26 *	26 *	27 *	27 *	28 *	28 *
42.5	26 *	26 *	27 *	28 *	28 *	29 *	29 *	30 *	30 *	30 *
37.5	29 *	30 *	30 *	31 *	31 *	32 *	32 *	32 *	32 *	32 *
33.0	33 *	33 *	34 *	35 *	35 *	35 *	35 *	36 *	36 *	36 *
29.0	37 *	39 *	39 *	39 *	40 *	41 *	41 *	40 *	40 *	41 *
25.5	44 *	45 *	46 *	46 *	46 *	47 *	47 *	47 *	48 *	48 *
22.5	52 *	53 *	54 *	55 *	55 *	55 *	55 *	56 *	56 *	57 *
19.5	62 *	63 *	65 *	66 *	67 *	67 *	67 *	68 *	69 *	69 *
17.0	73 *	75 *	77 *	79 *	80 *	81 *	81 *	82 *	83 *	83 *
15.0	85 *	87 *	89 *	92 *	93 *	94 *	95 *	96 *	96 *	97 *
13.0	97 *	101 *	104 *	106 *	108 *	110 *	111 *	112 *	113 *	114 *
11.0	112 *	116 *	120 *	123 *	125 *	127 *	129 *	130 *	131 *	132 *
9.0	129 *	134 *	138 *	141 *	144 *	146 *	148 *	149 *	150 *	152 *
7.0	145 *	151 *	156 *	159 *	162 *	164 *	166 *	167 *	169 *	169 *
5.0	160 *	166 *	171 *	175 *	177 *	179 *	181 *	183 *	183 *	184 *
3.0	170 *	177 *	182 *	186 *	188 *	190 *	192 *	193 *	194 *	194 *
1.0	176 *	183 *	188 *	191 *	194 *	196 *	197 *	198 *	199 *	200 *
0.0	178 *	184 *	190 *	193 *	195 *	197 *	198 *	199 *	200 *	201 *
-1.0	176 *	183 *	188 *	191 *	194 *	196 *	197 *	198 *	199 *	200 *
-3.0	170 *	177 *	182 *	186 *	188 *	190 *	192 *	193 *	194 *	194 *
-5.0	160 *	166 *	171 *	175 *	177 *	179 *	181 *	183 *	183 *	184 *
-7.0	145 *	151 *	156 *	159 *	162 *	164 *	166 *	167 *	169 *	169 *
-9.0	129 *	134 *	138 *	141 *	144 *	146 *	148 *	149 *	150 *	152 *
-11.0	112 *	116 *	120 *	123 *	125 *	127 *	129 *	130 *	131 *	132 *
-13.0	97 *	101 *	104 *	106 *	108 *	110 *	111 *	112 *	113 *	114 *
-15.0	85 *	87 *	89 *	92 *	93 *	94 *	95 *	96 *	96 *	97 *
-17.0	73 *	75 *	77 *	79 *	80 *	81 *	81 *	82 *	83 *	83 *
-19.5	62 *	63 *	65 *	66 *	67 *	67 *	67 *	68 *	69 *	69 *
-22.5	52 *	53 *	54 *	55 *	55 *	55 *	55 *	56 *	56 *	57 *
-25.5	44 *	45 *	46 *	46 *	46 *	47 *	47 *	47 *	48 *	48 *
-29.0	37 *	39 *	39 *	39 *	40 *	41 *	41 *	40 *	40 *	41 *
-33.0	33 *	33 *	34 *	35 *	35 *	35 *	35 *	36 *	36 *	36 *
-37.5	29 *	30 *	30 *	31 *	31 *	32 *	32 *	32 *	32 *	32 *
-42.5	26 *	26 *	27 *	28 *	28 *	29 *	29 *	30 *	30 *	30 *
-47.5	23 *	24 *	25 *	26 *	26 *	26 *	27 *	27 *	28 *	28 *
-55.0	20	21 *	21 *	22 *	23 *	23 *	24 *	24 *	24 *	25 *
-65.0	13	14	15	15	16	16	17	17	17	17
-75.0	6	6	6	7	7	8	8	8	8	8
-85.0	0	0	0	0	0	0	0	0	0	0
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	0	0	0	0	0	0	0	0	0
75.0	8	8	8	8	8	8	8	8	8	8
65.0	17	17	17	17	17	17	17	17	17	16

**IES FLOOD REPORT**  
**PHOTOMETRIC FILENAME : L052510701.IES**

**CANDELA TABULATION - (Cont.)**

55.0	25 *	25 *	25 *	25 *	25 *	25 *	24 *	24 *	24 *	23 *
47.5	28 *	28 *	28 *	28 *	28 *	28 *	28 *	27 *	27 *	26 *
42.5	30 *	30 *	30 *	30 *	30 *	30 *	30 *	30 *	29 *	29 *
37.5	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
33.0	36 *	36 *	36 *	36 *	36 *	36 *	36 *	36 *	35 *	35 *
29.0	41 *	42 *	42 *	42 *	41 *	41 *	40 *	40 *	41 *	41 *
25.5	48 *	48 *	48 *	48 *	48 *	48 *	48 *	47 *	47 *	47 *
22.5	57 *	57 *	57 *	57 *	57 *	57 *	56 *	56 *	55 *	55 *
19.5	69 *	69 *	70 *	69 *	69 *	69 *	69 *	68 *	67 *	67 *
17.0	83 *	83 *	83 *	83 *	83 *	83 *	83 *	82 *	81 *	81 *
15.0	97 *	97 *	97 *	97 *	97 *	97 *	96 *	96 *	95 *	94 *
13.0	114 *	114 *	115 *	114 *	114 *	114 *	113 *	112 *	111 *	110 *
11.0	132 *	133 *	133 *	133 *	132 *	132 *	131 *	130 *	129 *	127 *
9.0	152 *	152 *	152 *	152 *	152 *	152 *	150 *	149 *	148 *	146 *
7.0	170 *	170 *	170 *	170 *	170 *	169 *	169 *	167 *	166 *	164 *
5.0	184 *	185 *	186 *	185 *	184 *	184 *	183 *	183 *	181 *	179 *
3.0	195 *	194 *	196 *	194 *	195 *	194 *	194 *	193 *	192 *	190 *
1.0	200 *	200 *	200 *	200 *	200 *	200 *	199 *	198 *	197 *	196 *
0.0	201 *	201 *	201 *	201 *	201 *	201 *	200 *	199 *	198 *	197 *
-1.0	200 *	200 *	200 *	200 *	200 *	200 *	199 *	198 *	197 *	196 *
-3.0	195 *	194 *	196 *	194 *	195 *	194 *	194 *	193 *	192 *	190 *
-5.0	184 *	185 *	186 *	185 *	184 *	184 *	183 *	183 *	181 *	179 *
-7.0	170 *	170 *	170 *	170 *	170 *	169 *	169 *	167 *	166 *	164 *
-9.0	152 *	152 *	152 *	152 *	152 *	152 *	150 *	149 *	148 *	146 *
-11.0	132 *	133 *	133 *	133 *	132 *	132 *	131 *	130 *	129 *	127 *
-13.0	114 *	114 *	115 *	114 *	114 *	114 *	113 *	112 *	111 *	110 *
-15.0	97 *	97 *	97 *	97 *	97 *	97 *	96 *	96 *	95 *	94 *
-17.0	83 *	83 *	83 *	83 *	83 *	83 *	83 *	82 *	81 *	81 *
-19.5	69 *	69 *	70 *	69 *	69 *	69 *	69 *	68 *	67 *	67 *
-22.5	57 *	57 *	57 *	57 *	57 *	57 *	56 *	56 *	55 *	55 *
-25.5	48 *	48 *	48 *	48 *	48 *	48 *	48 *	47 *	47 *	47 *
-29.0	41 *	42 *	42 *	42 *	41 *	41 *	40 *	40 *	41 *	41 *
-33.0	36 *	36 *	36 *	36 *	36 *	36 *	36 *	36 *	35 *	35 *
-37.5	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *	32 *
-42.5	30 *	30 *	30 *	30 *	30 *	30 *	30 *	30 *	29 *	29 *
-47.5	28 *	28 *	28 *	28 *	28 *	28 *	28 *	27 *	27 *	26 *
-55.0	25 *	25 *	25 *	25 *	25 *	25 *	24 *	24 *	24 *	23 *
-65.0	17	17	17	17	17	17	17	17	17	16
-75.0	8	8	8	8	8	8	8	8	8	8
-85.0	0	0	0	0	0	0	0	0	0	0
-90.0	0	0	0	0	0	0	0	0	0	0

**Vert. Angles**      **Horizontal Angles**

	<u>15.0</u>	<u>17.0</u>	<u>19.5</u>	<u>22.5</u>	<u>25.5</u>	<u>29.0</u>	<u>33.0</u>	<u>37.5</u>	<u>42.5</u>	<u>47.5</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	0	0	0	0	0	0	0	0	0
75.0	7	7	6	6	6	5	4	4	3	2
65.0	16	15	15	14	13	12	11	10	8	7
55.0	23 *	22 *	21 *	21 *	20	18	17	16	13	12
47.5	26 *	26 *	25 *	24 *	23 *	22 *	21 *	19	17	16
42.5	28 *	28 *	27 *	26 *	26 *	25 *	24 *	22 *	20	19
37.5	31 *	31 *	30 *	30 *	29 *	28 *	27 *	26 *	24 *	23 *
33.0	35 *	35 *	34 *	33 *	33 *	32 *	31 *	30 *	28 *	27 *
29.0	40 *	39 *	39 *	39 *	37 *	37 *	36 *	35 *	33 *	32 *
25.5	46 *	46 *	46 *	45 *	44 *	43 *	42 *	40 *	39 *	37 *

**IES FLOOD REPORT**  
**PHOTOMETRIC FILENAME : L052510701.IES**

**CANDELA TABULATION - (Cont.)**

22.5	55 *	55 *	54 *	53 *	52 *	50 *	49 *	47 *	45 *	43 *
19.5	67 *	66 *	65 *	63 *	62 *	60 *	58 *	56 *	53 *	49 *
17.0	80 *	79 *	77 *	75 *	73 *	71 *	68 *	64 *	61 *	55 *
15.0	93 *	92 *	89 *	87 *	85 *	82 *	78 *	73 *	67 *	60 *
13.0	108 *	106 *	104 *	101 *	97 *	94 *	88 *	83 *	75 *	65 *
11.0	125 *	123 *	120 *	116 *	112 *	107 *	101 *	93 *	82 *	71 *
9.0	144 *	141 *	138 *	134 *	129 *	122 *	114 *	103 *	90 *	76 *
7.0	162 *	159 *	156 *	151 *	145 *	137 *	127 *	114 *	97 *	80 *
5.0	177 *	175 *	171 *	166 *	160 *	151 *	139 *	123 *	105 *	85 *
3.0	188 *	186 *	182 *	177 *	170 *	162 *	149 *	130 *	109 *	87 *
1.0	194 *	191 *	188 *	183 *	176 *	166 *	153 *	135 *	112 *	89 *
0.0	195 *	193 *	190 *	184 *	178 *	168 *	155 *	137 *	114 *	90 *
-1.0	194 *	191 *	188 *	183 *	176 *	166 *	153 *	135 *	112 *	89 *
-3.0	188 *	186 *	182 *	177 *	170 *	162 *	149 *	130 *	109 *	87 *
-5.0	177 *	175 *	171 *	166 *	160 *	151 *	139 *	123 *	105 *	85 *
-7.0	162 *	159 *	156 *	151 *	145 *	137 *	127 *	114 *	97 *	80 *
-9.0	144 *	141 *	138 *	134 *	129 *	122 *	114 *	103 *	90 *	76 *
-11.0	125 *	123 *	120 *	116 *	112 *	107 *	101 *	93 *	82 *	71 *
-13.0	108 *	106 *	104 *	101 *	97 *	94 *	88 *	83 *	75 *	65 *
-15.0	93 *	92 *	89 *	87 *	85 *	82 *	78 *	73 *	67 *	60 *
-17.0	80 *	79 *	77 *	75 *	73 *	71 *	68 *	64 *	61 *	55 *
-19.5	67 *	66 *	65 *	63 *	62 *	60 *	58 *	56 *	53 *	49 *
-22.5	55 *	55 *	54 *	53 *	52 *	50 *	49 *	47 *	45 *	43 *
-25.5	46 *	46 *	46 *	45 *	44 *	43 *	42 *	40 *	39 *	37 *
-29.0	40 *	39 *	39 *	39 *	37 *	37 *	36 *	35 *	33 *	32 *
-33.0	35 *	35 *	34 *	33 *	33 *	32 *	31 *	30 *	28 *	27 *
-37.5	31 *	31 *	30 *	30 *	29 *	28 *	27 *	26 *	24 *	23 *
-42.5	28 *	28 *	27 *	26 *	26 *	25 *	24 *	22 *	20	19
-47.5	26 *	26 *	25 *	24 *	23 *	22 *	21 *	19	17	16
-55.0	23 *	22 *	21 *	21 *	20	18	17	16	13	12
-65.0	16	15	15	14	13	12	11	10	8	7
-75.0	7	7	6	6	6	5	4	4	3	2
-85.0	0	0	0	0	0	0	0	0	0	0
-90.0	0	0	0	0	0	0	0	0	0	0


Vert. Angles	Horizontal Angles				
	<u>55.0</u>	<u>65.0</u>	<u>75.0</u>	<u>85.0</u>	<u>90.0</u>
90.0	0	0	0	0	0
85.0	0	0	0	0	0
75.0	1	1	1	0	0
65.0	5	3	2	0	0
55.0	9	6	2	0	0
47.5	13	9	3	0	0
42.5	16	11	4	0	0
37.5	20	14	5	1	0
33.0	23 *	16	6	1	0
29.0	27 *	18	7	1	0
25.5	31 *	19	7	1	0
22.5	35 *	21 *	8	1	0
19.5	39 *	22 *	8	1	0
17.0	43 *	24 *	8	1	0
15.0	46 *	24 *	9	1	0
13.0	48 *	25 *	9	1	0
11.0	51 *	26 *	9	1	0
9.0	53 *	26 *	9	1	0

IES FLOOD REPORT  
 PHOTOMETRIC FILENAME : L052510701.IES

CANDELA TABULATION - (Cont.)

7.0	55 *	27 *	9	1	0
5.0	56 *	27 *	10	1	0
3.0	57 *	28 *	10	1	0
1.0	58 *	28 *	10	1	0
0.0	58 *	28 *	10	1	0
-1.0	58 *	28 *	10	1	0
-3.0	57 *	28 *	10	1	0
-5.0	56 *	27 *	10	1	0
-7.0	55 *	27 *	9	1	0
-9.0	53 *	26 *	9	1	0
-11.0	51 *	26 *	9	1	0
-13.0	48 *	25 *	9	1	0
-15.0	46 *	24 *	9	1	0
-17.0	43 *	24 *	8	1	0
-19.5	39 *	22 *	8	1	0
-22.5	35 *	21 *	8	1	0
-25.5	31 *	19	7	1	0
-29.0	27 *	18	7	1	0
-33.0	23 *	16	6	1	0
-37.5	20	14	5	1	0
-42.5	16	11	4	0	0
-47.5	13	9	3	0	0
-55.0	9	6	2	0	0
-65.0	5	3	2	0	0
-75.0	1	1	1	0	0
-85.0	0	0	0	0	0
-90.0	0	0	0	0	0


AXIAL CANDELA DISPLAY



Maximum Candela = 201 Located At Horizontal Angle = -5, Vertical Angle = 0  
H - Horizontal Axial Candela  
V - Vertical Axial Candela



ISOCANDELA CURVES



Maximum Candela = 201 Located At Horizontal Angle = -5, Vertical Angle = 0  
50% Maximum Candela = 100.5  
10% Maximum Candela = 20.1