



8165 E. Kaiser Blvd. Anaheim, CA 92808

www.lightlaboratory.com

Photometric Test Report

IES FLOOD REPORT

PHOTOMETRIC FILENAME : L052510783.IES

DESCRIPTIVE INFORMATION (From Photometric File)

IESNA:LM-63-2002
[TEST] L052510783
[TESTLAB] LIGHT LABORATORY, INC. (www.lightlaboratory.com)
[ISSUE DATE] 6/4/2025
[MANUFAC] Vista Professional Outdoor Lighting
[LUMCAT] 1142-WF-RGBW-(B)
[LUMINAIRE] 1142 Wide Flood Blue Output
[BALLASTCAT] ELDOLED PW50U-M4Z0X1
[OTHER] INDICATING THE CANDELA VALUES ARE ABSOLUTE AND
[MORE] SHOULD NOT BE FACTORED FOR DIFFERENT LAMP RATINGS.
[MORE] Base file 80239581-35
[INPUT] 120VAC
[TEST PROCEDURE] IESNA:LM-79-19

Note: Candela values converted from Type-C to Type-B

CHARACTERISTICS

NEMA Type	7 H x 7 V
Maximum Candela	126
Maximum Candela Angle	0H -19.5V
Horizontal Beam Angle (50%)	79.5
Vertical Beam Angle (50%)	91.1
Horizontal Field Angle (10%)	147.1
Vertical Field Angle (10%)	148.7
Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Beam Lumens	177
Beam Efficiency	N.A.
Field Lumens	269
Field Efficiency	N.A.
Spill Lumens	8
Luminaire Lumens	276
Total Efficiency	N.A.
Total Luminaire Watts	20.95
Ballast Factor	1.00

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510783.IES

AXIAL CANDELA

DEG.	HOR.	DEG.	VERT.
90	0	90	0
85	1	85	1
75	12	75	12
65	24	65	21
55	36	55	36
47.5	46	47.5	56
42.5	54	42.5	74
37.5	63	37.5	94
33	70	33	108
29	78	29	119
25.5	85	25.5	123
22.5	91	22.5	125
19.5	96	19.5	126
17	100	17	125
15	103	15	123
13	105	13	122
11	108	11	120
9	110	9	119
7	111	7	117
5	113	5	115
3	114	3	115
1	114	1	114
0	114	0	114
-1	114	-1	114
-3	114	-3	115
-5	113	-5	115
-7	111	-7	117
-9	110	-9	119
-11	108	-11	120
-13	105	-13	122
-15	103	-15	123
-17	100	-17	125
-19.5	96	-19.5	126
-22.5	91	-22.5	125
-25.5	85	-25.5	123
-29	78	-29	119
-33	70	-33	108
-37.5	63	-37.5	94
-42.5	54	-42.5	74
-47.5	46	-47.5	56
-55	36	-55	36
-65	24	-65	21
-75	12	-75	12
-85	1	-85	1
-90	0	-90	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510783.IES

CANDELA TABULATION

Maximum Candela = 126

Beam Edge = 63 Cd (50% of Max.)

Field Edge = 12.6 Cd (10% of Max.)

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>-90.0</u>	<u>-85.0</u>	<u>-75.0</u>	<u>-65.0</u>	<u>-55.0</u>	<u>-47.5</u>	<u>-42.5</u>	<u>-37.5</u>	<u>-33.0</u>	<u>-29.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	0	0	0	0	0	0	0	1	1	1
75.0	0	0	1	3	5	6	8	8	9	10
65.0	0	0	3	7	11	14 *	16 *	18 *	20 *	20 *
55.0	0	0	5	11	18 *	21 *	25 *	28 *	31 *	32 *
47.5	0	0	7	15 *	23 *	28 *	35 *	40 *	44 *	47 *
42.5	0	0	8	17 *	25 *	35 *	41 *	48 *	54 *	59 *
37.5	0	1	8	19 *	28 *	39 *	47 *	56 *	65 *	72 *
33.0	0	1	9	20 *	31 *	42 *	52 *	62 *	73 *	81 *
29.0	0	1	10	20 *	32 *	44 *	54 *	66 *	76 *	86 *
25.5	0	1	10	21 *	34 *	45 *	56 *	68 *	79 *	89 *
22.5	0	1	11	22 *	34 *	46 *	57 *	68 *	80 *	89 *
19.5	0	1	11	22 *	35 *	47 *	57 *	68 *	79 *	89 *
17.0	0	1	11	23 *	36 *	47 *	57 *	67 *	79 *	88 *
15.0	0	1	11	23 *	36 *	47 *	56 *	67 *	77 *	86 *
13.0	0	1	12	23 *	36 *	47 *	56 *	66 *	77 *	85 *
11.0	0	1	12	23 *	36 *	46 *	55 *	65 *	76 *	84 *
9.0	0	1	12	24 *	36 *	46 *	55 *	65 *	74 *	82 *
7.0	0	1	12	24 *	36 *	46 *	54 *	64 *	73 *	81 *
5.0	0	1	12	24 *	36 *	46 *	54 *	63 *	72 *	80 *
3.0	0	1	12	24 *	36 *	46 *	54 *	63 *	71 *	79 *
1.0	0	1	12	24 *	36 *	46 *	54 *	63 *	70 *	79 *
0.0	0	1	12	24 *	36 *	46 *	54 *	63 *	70 *	78 *
-1.0	0	1	12	24 *	36 *	46 *	54 *	63 *	70 *	79 *
-3.0	0	1	12	24 *	36 *	46 *	54 *	63 *	71 *	79 *
-5.0	0	1	12	24 *	36 *	46 *	54 *	63 *	72 *	80 *
-7.0	0	1	12	24 *	36 *	46 *	54 *	64 *	73 *	81 *
-9.0	0	1	12	24 *	36 *	46 *	55 *	65 *	74 *	82 *
-11.0	0	1	12	23 *	36 *	46 *	55 *	65 *	76 *	84 *
-13.0	0	1	12	23 *	36 *	47 *	56 *	66 *	77 *	85 *
-15.0	0	1	11	23 *	36 *	47 *	56 *	67 *	77 *	86 *
-17.0	0	1	11	23 *	36 *	47 *	57 *	67 *	79 *	88 *
-19.5	0	1	11	22 *	35 *	47 *	57 *	68 *	79 *	89 *
-22.5	0	1	11	22 *	34 *	46 *	57 *	68 *	80 *	89 *
-25.5	0	1	10	21 *	34 *	45 *	56 *	68 *	79 *	89 *
-29.0	0	1	10	20 *	32 *	44 *	54 *	66 *	76 *	86 *
-33.0	0	1	9	20 *	31 *	42 *	52 *	62 *	73 *	81 *
-37.5	0	1	8	19 *	28 *	39 *	47 *	56 *	65 *	72 *
-42.5	0	0	8	17 *	25 *	35 *	41 *	48 *	54 *	59 *
-47.5	0	0	7	15 *	23 *	28 *	35 *	40 *	44 *	47 *
-55.0	0	0	5	11	18 *	21 *	25 *	28 *	31 *	32 *
-65.0	0	0	3	7	11	14 *	16 *	18 *	20 *	20 *
-75.0	0	0	1	3	5	6	8	8	9	10
-85.0	0	0	0	0	0	0	0	1	1	1
-90.0	0	0	0	0	0	0	0	0	0	0

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510783.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	1	1	1	1	1	1	1	1	1	1
75.0	10	11	11	11	11	12	12	12	12	12
65.0	21 *	21 *	21 *	22 *	22 *	22 *	22 *	23 *	23 *	23 *
55.0	33 *	34 *	35 *	36 *	36 *	36 *	36 *	36 *	35 *	36 *
47.5	49 *	51 *	53 *	54 *	54 *	55 *	55 *	56 *	57 *	56 *
42.5	64 *	66 *	68 *	70 *	71 *	71 *	72 *	73 *	73 *	74 *
37.5	77 *	81 *	85 *	86 *	88 *	89 *	90 *	92 *	92 *	93 *
33.0	87 *	92 *	96 *	99 *	101 *	102 *	104 *	106 *	107 *	107 *
29.0	93 *	98 *	103 *	107 *	110 *	111 *	113 *	115 *	115 *	116 *
25.5	96 *	102 *	107 *	110 *	114 *	116 *	118 *	120 *	120 *	122 *
22.5	96 *	103 *	108 *	113 *	115 *	118 *	120 *	122 *	123 *	124 *
19.5	96 *	103 *	108 *	112 *	115 *	118 *	121 *	122 *	123 *	125 *
17.0	95 *	102 *	107 *	111 *	114 *	117 *	119 *	121 *	122 *	123 *
15.0	94 *	100 *	106 *	110 *	113 *	116 *	118 *	120 *	122 *	122 *
13.0	93 *	99 *	104 *	108 *	111 *	114 *	117 *	118 *	119 *	121 *
11.0	91 *	97 *	102 *	107 *	110 *	111 *	114 *	116 *	118 *	119 *
9.0	90 *	95 *	100 *	105 *	107 *	110 *	113 *	114 *	116 *	117 *
7.0	88 *	94 *	99 *	103 *	106 *	108 *	111 *	113 *	114 *	116 *
5.0	87 *	92 *	98 *	102 *	105 *	107 *	109 *	111 *	114 *	114 *
3.0	86 *	91 *	97 *	101 *	105 *	106 *	108 *	110 *	112 *	113 *
1.0	86 *	91 *	96 *	100 *	103 *	106 *	108 *	110 *	111 *	113 *
0.0	85 *	91 *	96 *	100 *	103 *	105 *	108 *	110 *	111 *	113 *
-1.0	86 *	91 *	96 *	100 *	103 *	106 *	108 *	110 *	111 *	113 *
-3.0	86 *	91 *	97 *	101 *	105 *	106 *	108 *	110 *	112 *	113 *
-5.0	87 *	92 *	98 *	102 *	105 *	107 *	109 *	111 *	114 *	114 *
-7.0	88 *	94 *	99 *	103 *	106 *	108 *	111 *	113 *	114 *	116 *
-9.0	90 *	95 *	100 *	105 *	107 *	110 *	113 *	114 *	116 *	117 *
-11.0	91 *	97 *	102 *	107 *	110 *	111 *	114 *	116 *	118 *	119 *
-13.0	93 *	99 *	104 *	108 *	111 *	114 *	117 *	118 *	119 *	121 *
-15.0	94 *	100 *	106 *	110 *	113 *	116 *	118 *	120 *	122 *	122 *
-17.0	95 *	102 *	107 *	111 *	114 *	117 *	119 *	121 *	122 *	123 *
-19.5	96 *	103 *	108 *	112 *	115 *	118 *	121 *	122 *	123 *	125 *
-22.5	96 *	103 *	108 *	113 *	115 *	118 *	120 *	122 *	123 *	124 *
-25.5	96 *	102 *	107 *	110 *	114 *	116 *	118 *	120 *	120 *	122 *
-29.0	93 *	98 *	103 *	107 *	110 *	111 *	113 *	115 *	115 *	116 *
-33.0	87 *	92 *	96 *	99 *	101 *	102 *	104 *	106 *	107 *	107 *
-37.5	77 *	81 *	85 *	86 *	88 *	89 *	90 *	92 *	92 *	93 *
-42.5	64 *	66 *	68 *	70 *	71 *	71 *	72 *	73 *	73 *	74 *
-47.5	49 *	51 *	53 *	54 *	54 *	55 *	55 *	56 *	57 *	56 *
-55.0	33 *	34 *	35 *	36 *	36 *	36 *	36 *	36 *	35 *	36 *
-65.0	21 *	21 *	21 *	22 *	22 *	22 *	22 *	23 *	23 *	23 *
-75.0	10	11	11	11	11	12	12	12	12	12
-85.0	1	1	1	1	1	1	1	1	1	1
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	1	1	1	1	1	1	1	1	1	1
75.0	12	12	12	12	12	12	12	12	12	12
65.0	22 *	21 *	21 *	21 *	22 *	23 *	23 *	23 *	22 *	22 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510783.IES

CANDELA TABULATION - (Cont.)

55.0	36 *	36 *	36 *	36 *	36 *	36 *	35 *	36 *	36 *	36 *
47.5	56 *	56 *	56 *	56 *	56 *	56 *	57 *	56 *	55 *	55 *
42.5	75 *	74 *	74 *	74 *	75 *	74 *	73 *	73 *	72 *	71 *
37.5	94 *	94 *	94 *	94 *	94 *	93 *	92 *	92 *	90 *	89 *
33.0	108 *	108 *	108 *	108 *	108 *	107 *	107 *	106 *	104 *	102 *
29.0	117 *	118 *	119 *	118 *	117 *	116 *	115 *	115 *	113 *	111 *
25.5	122 *	123 *	123 *	123 *	122 *	122 *	120 *	120 *	118 *	116 *
22.5	125 *	125 *	125 *	125 *	125 *	124 *	123 *	122 *	120 *	118 *
19.5	125 *	125 *	126 *	125 *	125 *	125 *	123 *	122 *	121 *	118 *
17.0	125 *	125 *	125 *	125 *	125 *	123 *	122 *	121 *	119 *	117 *
15.0	123 *	123 *	123 *	123 *	123 *	122 *	122 *	120 *	118 *	116 *
13.0	121 *	122 *	122 *	122 *	121 *	121 *	119 *	118 *	117 *	114 *
11.0	120 *	120 *	120 *	120 *	120 *	119 *	118 *	116 *	114 *	111 *
9.0	118 *	119 *	119 *	119 *	118 *	117 *	116 *	114 *	113 *	110 *
7.0	117 *	117 *	117 *	117 *	117 *	116 *	114 *	113 *	111 *	108 *
5.0	115 *	115 *	115 *	115 *	115 *	114 *	114 *	111 *	109 *	107 *
3.0	114 *	114 *	115 *	114 *	114 *	113 *	112 *	110 *	108 *	106 *
1.0	114 *	114 *	114 *	114 *	114 *	113 *	111 *	110 *	108 *	106 *
0.0	114 *	114 *	114 *	114 *	114 *	113 *	111 *	110 *	108 *	105 *
-1.0	114 *	114 *	114 *	114 *	114 *	113 *	111 *	110 *	108 *	106 *
-3.0	114 *	114 *	115 *	114 *	114 *	113 *	112 *	110 *	108 *	106 *
-5.0	115 *	115 *	115 *	115 *	115 *	114 *	114 *	111 *	109 *	107 *
-7.0	117 *	117 *	117 *	117 *	117 *	116 *	114 *	113 *	111 *	108 *
-9.0	118 *	119 *	119 *	119 *	118 *	117 *	116 *	114 *	113 *	110 *
-11.0	120 *	120 *	120 *	120 *	120 *	119 *	118 *	116 *	114 *	111 *
-13.0	121 *	122 *	122 *	122 *	121 *	121 *	119 *	118 *	117 *	114 *
-15.0	123 *	123 *	123 *	123 *	123 *	122 *	122 *	120 *	118 *	116 *
-17.0	125 *	125 *	125 *	125 *	125 *	123 *	122 *	121 *	119 *	117 *
-19.5	125 *	125 *	126 *	125 *	125 *	125 *	123 *	122 *	121 *	118 *
-22.5	125 *	125 *	125 *	125 *	125 *	124 *	123 *	122 *	120 *	118 *
-25.5	122 *	123 *	123 *	123 *	122 *	122 *	120 *	120 *	118 *	116 *
-29.0	117 *	118 *	119 *	118 *	117 *	116 *	115 *	115 *	113 *	111 *
-33.0	108 *	108 *	108 *	108 *	108 *	107 *	107 *	106 *	104 *	102 *
-37.5	94 *	94 *	94 *	94 *	94 *	93 *	92 *	92 *	90 *	89 *
-42.5	75 *	74 *	74 *	74 *	75 *	74 *	73 *	73 *	72 *	71 *
-47.5	56 *	56 *	56 *	56 *	56 *	56 *	57 *	56 *	55 *	55 *
-55.0	36 *	36 *	36 *	36 *	36 *	36 *	35 *	36 *	36 *	36 *
-65.0	22 *	21 *	21 *	21 *	22 *	23 *	23 *	23 *	22 *	22 *
-75.0	12	12	12	12	12	12	12	12	12	12
-85.0	1	1	1	1	1	1	1	1	1	1
-90.0	0	0	0	0	0	0	0	0	0	0

Vert. Angles **Horizontal Angles**

	<u>15.0</u>	<u>17.0</u>	<u>19.5</u>	<u>22.5</u>	<u>25.5</u>	<u>29.0</u>	<u>33.0</u>	<u>37.5</u>	<u>42.5</u>	<u>47.5</u>
90.0	0	0	0	0	0	0	0	0	0	0
85.0	1	1	1	1	1	1	1	1	0	0
75.0	11	11	11	11	10	10	9	8	8	6
65.0	22 *	22 *	21 *	21 *	21 *	20 *	20 *	18 *	16 *	14 *
55.0	36 *	36 *	35 *	34 *	33 *	32 *	31 *	28 *	25 *	21 *
47.5	54 *	54 *	53 *	51 *	49 *	47 *	44 *	40 *	35 *	28 *
42.5	71 *	70 *	68 *	66 *	64 *	59 *	54 *	48 *	41 *	35 *
37.5	88 *	86 *	85 *	81 *	77 *	72 *	65 *	56 *	47 *	39 *
33.0	101 *	99 *	96 *	92 *	87 *	81 *	73 *	62 *	52 *	42 *
29.0	110 *	107 *	103 *	98 *	93 *	86 *	76 *	66 *	54 *	44 *
25.5	114 *	110 *	107 *	102 *	96 *	89 *	79 *	68 *	56 *	45 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : L052510783.IES

CANDELA TABULATION - (Cont.)

22.5	115 *	113 *	108 *	103 *	96 *	89 *	80 *	68 *	57 *	46 *
19.5	115 *	112 *	108 *	103 *	96 *	89 *	79 *	68 *	57 *	47 *
17.0	114 *	111 *	107 *	102 *	95 *	88 *	79 *	67 *	57 *	47 *
15.0	113 *	110 *	106 *	100 *	94 *	86 *	77 *	67 *	56 *	47 *
13.0	111 *	108 *	104 *	99 *	93 *	85 *	77 *	66 *	56 *	47 *
11.0	110 *	107 *	102 *	97 *	91 *	84 *	76 *	65 *	55 *	46 *
9.0	107 *	105 *	100 *	95 *	90 *	82 *	74 *	65 *	55 *	46 *
7.0	106 *	103 *	99 *	94 *	88 *	81 *	73 *	64 *	54 *	46 *
5.0	105 *	102 *	98 *	92 *	87 *	80 *	72 *	63 *	54 *	46 *
3.0	105 *	101 *	97 *	91 *	86 *	79 *	71 *	63 *	54 *	46 *
1.0	103 *	100 *	96 *	91 *	86 *	79 *	70 *	63 *	54 *	46 *
0.0	103 *	100 *	96 *	91 *	85 *	78 *	70 *	63 *	54 *	46 *
-1.0	103 *	100 *	96 *	91 *	86 *	79 *	70 *	63 *	54 *	46 *
-3.0	105 *	101 *	97 *	91 *	86 *	79 *	71 *	63 *	54 *	46 *
-5.0	105 *	102 *	98 *	92 *	87 *	80 *	72 *	63 *	54 *	46 *
-7.0	106 *	103 *	99 *	94 *	88 *	81 *	73 *	64 *	54 *	46 *
-9.0	107 *	105 *	100 *	95 *	90 *	82 *	74 *	65 *	55 *	46 *
-11.0	110 *	107 *	102 *	97 *	91 *	84 *	76 *	65 *	55 *	46 *
-13.0	111 *	108 *	104 *	99 *	93 *	85 *	77 *	66 *	56 *	47 *
-15.0	113 *	110 *	106 *	100 *	94 *	86 *	77 *	67 *	56 *	47 *
-17.0	114 *	111 *	107 *	102 *	95 *	88 *	79 *	67 *	57 *	47 *
-19.5	115 *	112 *	108 *	103 *	96 *	89 *	79 *	68 *	57 *	47 *
-22.5	115 *	113 *	108 *	103 *	96 *	89 *	80 *	68 *	57 *	46 *
-25.5	114 *	110 *	107 *	102 *	96 *	89 *	79 *	68 *	56 *	45 *
-29.0	110 *	107 *	103 *	98 *	93 *	86 *	76 *	66 *	54 *	44 *
-33.0	101 *	99 *	96 *	92 *	87 *	81 *	73 *	62 *	52 *	42 *
-37.5	88 *	86 *	85 *	81 *	77 *	72 *	65 *	56 *	47 *	39 *
-42.5	71 *	70 *	68 *	66 *	64 *	59 *	54 *	48 *	41 *	35 *
-47.5	54 *	54 *	53 *	51 *	49 *	47 *	44 *	40 *	35 *	28 *
-55.0	36 *	36 *	35 *	34 *	33 *	32 *	31 *	28 *	25 *	21 *
-65.0	22 *	22 *	21 *	21 *	21 *	20 *	20 *	18 *	16 *	14 *
-75.0	11	11	11	11	10	10	9	8	8	6
-85.0	1	1	1	1	1	1	1	1	0	0
-90.0	0	0	0	0	0	0	0	0	0	0


Vert. Angles	Horizontal Angles				
	<u>55.0</u>	<u>65.0</u>	<u>75.0</u>	<u>85.0</u>	<u>90.0</u>
90.0	0	0	0	0	0
85.0	0	0	0	0	0
75.0	5	3	1	0	0
65.0	11	7	3	0	0
55.0	18 *	11	5	0	0
47.5	23 *	15 *	7	0	0
42.5	25 *	17 *	8	0	0
37.5	28 *	19 *	8	1	0
33.0	31 *	20 *	9	1	0
29.0	32 *	20 *	10	1	0
25.5	34 *	21 *	10	1	0
22.5	34 *	22 *	11	1	0
19.5	35 *	22 *	11	1	0
17.0	36 *	23 *	11	1	0
15.0	36 *	23 *	11	1	0
13.0	36 *	23 *	12	1	0
11.0	36 *	23 *	12	1	0
9.0	36 *	24 *	12	1	0

IES FLOOD REPORT
 PHOTOMETRIC FILENAME : L052510783.IES

CANDELA TABULATION - (Cont.)


7.0	36 *	24 *	12	1	0
5.0	36 *	24 *	12	1	0
3.0	36 *	24 *	12	1	0
1.0	36 *	24 *	12	1	0
0.0	36 *	24 *	12	1	0
-1.0	36 *	24 *	12	1	0
-3.0	36 *	24 *	12	1	0
-5.0	36 *	24 *	12	1	0
-7.0	36 *	24 *	12	1	0
-9.0	36 *	24 *	12	1	0
-11.0	36 *	23 *	12	1	0
-13.0	36 *	23 *	12	1	0
-15.0	36 *	23 *	11	1	0
-17.0	36 *	23 *	11	1	0
-19.5	35 *	22 *	11	1	0
-22.5	34 *	22 *	11	1	0
-25.5	34 *	21 *	10	1	0
-29.0	32 *	20 *	10	1	0
-33.0	31 *	20 *	9	1	0
-37.5	28 *	19 *	8	1	0
-42.5	25 *	17 *	8	0	0
-47.5	23 *	15 *	7	0	0
-55.0	18 *	11	5	0	0
-65.0	11	7	3	0	0
-75.0	5	3	1	0	0
-85.0	0	0	0	0	0
-90.0	0	0	0	0	0

AXIAL CANDELA DISPLAY



Maximum Candela = 126 Located At Horizontal Angle = 0, Vertical Angle = -19.5
H - Horizontal Axial Candela
V - Vertical Axial Candela

ISOCANDELA CURVES



Maximum Candela = 126 Located At Horizontal Angle = 0, Vertical Angle = -19.5
50% Maximum Candela = 63
10% Maximum Candela = 12.6